Abdelhameed, M. H. 212
Abdel-Hameed, M. H. 486
Advikolanu, K. M. 1147
Agha, B. J. 295
Agharkar, S. N. 1088
Akamatsu, M. 164
Albers, E. 756
Albuisson, E. 1084
Alcorn, L. 996
Alexander, K. S. 787
Alhaider, A. A. 99
Al-Hakim, A. 823
Allen, D. J. 1012
Allen, T. M. 1147
Alsina, M. A. 546
Alvarez-Builla, J. 577
Amaro, A. A. 290
Amato, M. E. 1157
Amidon, G. L. 113, 1229
Anderberg, E. K. 879
Anderson, G. J. 845
Andreasson, A. 640
Aoyagi, N. 1170
Apichartpichean, R. 1024
Araki, Y. 228, 1132
Arbuck, S. G. 259
Arihara, S. 661
Arima, H. 1119
Artursson, P. 879
Asakawa, N. 1227
Ashman, W. P. 1181
Autin, J.-M. 836
Avendaño, C. 815
Avnir, D. 54
Avram, M. J. 1136
Awaluddin, A. 408
Axelson, J. E. 1098
Ayres, J. W. 444
Azoury, R. 131

Badiger, V. V. 365
Badr, M. 160
Bae, Y. H. 532
Bai, J. P.-F. 113
Baker, G. B. 832
Balaban, A. T. 716
Baláž, S. 849
Banks, W. R. 797
Barr, W. H. 605
Barre, J. 1020
Barreiro, E. J. 1219
Bastide, J. 1084
Bechako, K. 762, 1233
Beck, W. S. 888
Beckstead, H. D. 1141
Behl, C. R. 631, 635, 750, 1051
Bekersky, I. 313
Bellanato, J. 94
Bellini, A. M. 237, 726
Belpaire, F. 1216
Benet, L. Z. 605
Bergmeier, S. C. 1015
Bertini, J. 1175
Beukeveld, G. J. J. 432
Biagi, G. 543
Bialer, M. 1047
Bigg, D. 836
Bikhazi, A. B. 441, 1178
Bjornsson, T. D. 108
Blaiklock, R. G. 203
Bloedow, D. C. 219
Boccardi, G. 183
Bodor, N. 272, 954, 1210
Bois, F. Y. 1113
Bonnefous, J.-L. 341
Bores, G. M. 380
Borgström, L. 753
Boscá, F. 181, 479
Boulieu, R. 341
Bourne, D. W. A. 408
Bowser, B. 413
Boyd, R. E. 408
Brès, J. 26
Bressolle, F. 26, 1223
Breuer, E. 1004
Brillanceau, M. H. 1065
Bromet-Petit, M. 1223
Bronaugh, R. L. 1153
Brown, G. R. 65
Brundage, R. C. 491
Brune, K. 888
Brunner, L. J. 208
Budsberg, S. C 11, 314
Burinsky, D. J. 597
Busquets, M. A. 546
Buyuktimkin, N. 1092
Buyuktimkin, S. 1092
Bylund, D. B. 397

Calvo, B. 232
Cannon, J. M. 848
Cappel, M. J. 736
Cardona, H. 1065
Carpenter, T. O. 524
Carstensen, J. T. 303
Casado, J. 791
Caviglioli, G. 556
Cerutti, I. 241
Cester, C. C. 33
Chafetz, L. 107
Chiang, C.-H. 299
Chan, H.-K. 353
Chantres, J. R. 74
Char, H. 635, 750
Charman, W. N. 321
Chauvet, A. 836
Chen, C.-F. 961
Chen, L.-S. 1210
Chen, P.-H. 91
Chen, T.-M. 212, 486
Cheng, H. 345, 488, 1071
Cherif, A. 622
Chiou, W. L. 212, 486
Choo, Y. S. 486
Chowhan, Z. T. 290
Chu, K. 622
Ciechanowicz-Rutkowska, M. 559
Clark, O. E. 1181
Cocchini, A. 1175
Cohen, L. 49
Cohen, S. 990
Cohen, V. I. 326
Collins, J. 605
Colón, S. 731
Colvin, O. M. 685
Confort-Gouny, S. 249
Connors, K. A. 145, 371
Cook, C. E. 309
Costa, P. 1223
Cotter, M. L. 597
Coudert, P. 1084
Coudray, C. 611
Coughenour, L. L. 1015
Couladouros, E. A. 1126
Couquelet, J. 1084
Coustaut, D. 249
Coutts, R. T. 832
Cox, D. M. 845
Cozzone, P. J. 249
Craik, D. J. 692
Crespo, T. 577
Crider, A. M. 149
Crooks, P. A. 652, 657
Cutler, D. J. 155, 419, 424

Dackson, K. 321
Damani, L. A. 392
Dannan, H. 652, 657
Das, P. R. 1199
Davis, R. E. 1015
Day, R. O. 155
Dayan, N. 131
de Biasi, J. 1020
De Kruif, A. 1216
de la Ceusta, E. 815
de la Cruz, R. 326
De Leenheer, A. P. 1216
Deleuze, C. 183
Delitheos, A. K. 1126
del Mar Canedo, M. 592
Derendorf, H. 1210
Desjardins, R. E. 605
Deslandes, A. 802
Devoisselle, J.-M. 249
De Wilde, G. A. 245
Díaz, L. 920
Diaz, W. 313
Díaz-García, J. M. 768
DiBenedetto, D. J. 1199
Dick, R. M. 149
Digenis, G. A. 295, 730, 797
Dighe, S. 309, 500
Dimmock, J. R. 436, 1059, 1147
Dinculescu, A. 716
Dittert, L. W. 79, 348, 652, 657
Dive, G. 122
Dixit, R. 848
Djedaïni, F. 1157
Djurić, Z. 386
Dollimore, D. 787
Dominguez-Gil, A. 592
Donnell, D. 858
Dorrbecker, B. R. 1071
Druzgala, P. 1210
Dubech, N. 33
Dudzinski, J. 586
Duffy, M. J. 1059, 1147
Duncan-Hewitt, W. C. 701
Dunphy, R. 597

Abdelhameed, M. H. 212
Abdel-Hameed, M. H. 486
Advikolanu, K. M. 1147
Agha, B. J. 295
Agharkar, S. N. 1088
Akamatsu, M. 164
Albers, E. 756
Albuisson, E. 1084
Alcorn, L. 996
Alexander, K. S. 787
Alhaider, A. A. 99
Al-Hakim, A. 823
Allen, D. J. 1012
Allen, T. M. 1147
Alsina, M. A. 546
Alvarez-Builla, J. 577
Amaro, A. A. 290
Amato, M. E. 1157
Amidon, G. L. 113, 1229
Anderberg, E. K. 879
Anderson, G. J. 845
Andreasson, A. 640
Aoyagi, N. 1170
Apichartpichean, R. 1024
Araki, Y. 228, 1132
Arbuck, S. G. 259
Arihara, S. 661
Arima, H. 1119
Artursson, P. 879
Asakawa, N. 1227
Ashman, W. P. 1181
Autin, J.-M. 836
Avendaño, C. 815
Avnir, D. 54
Avram, M. J. 1136
Awaluddin, A. 408
Axelson, J. E. 1098
Ayres, J. W. 444
Azoury, R. 131

Badiger, V. V. 365
Badr, M. 160
Bae, Y. H. 532
Bai, J. P.-F. 113
Baker, G. B. 832
Balaban, A. T. 716
Baláž, S. 849
Banks, W. R. 797
Barr, W. H. 605
Barre, J. 1020
Barreiro, E. J. 1219
Bastide, J. 1084
Bechako, K. 762, 1233
Beck, W. S. 888
Beckstead, H. D. 1141
Behl, C. R. 631, 635, 750, 1051
Bekersky, I. 313
Bellanato, J. 94
Bellini, A. M. 237, 726
Belpaire, F. 1216
Benet, L. Z. 605
Bergmeier, S. C. 1015
Bertini, J. 1175
Beukeveld, G. J. J. 432
Biagi, G. 543
Bialer, M. 1047
Bigg, D. 836
Bikhazi, A. B. 441, 1178
Bjornsson, T. D. 108
Blaiklock, R. G. 203
Bloedow, D. C. 219
Boccardi, G. 183
Bodor, N. 272, 954, 1210
Bois, F. Y. 1113
Bonnefous, J.-L. 341
Bores, G. M. 380
Borgström, L. 753
Boscá, F. 181, 479
Boulieu, R. 341
Bourne, D. W. A. 408
Bowser, B. 413
Boyd, R. E. 408
Brès, J. 26
Bressolle, F. 26, 1223
Breuer, E. 1004
Brillanceau, M. H. 1065
Bromet-Petit, M. 1223
Bronaugh, R. L. 1153
Brown, G. R. 65
Brundage, R. C. 491
Brune, K. 888
Brunner, L. J. 208
Budsberg, S. C 11, 314
Burinsky, D. J. 597
Busquets, M. A. 546
Buyuktimkin, N. 1092
Buyuktimkin, S. 1092
Bylund, D. B. 397

Calvo, B. 232
Cannon, J. M. 848
Cappel, M. J. 736
Cardona, H. 1065
Carpenter, T. O. 524
Carstensen, J. T. 303
Casado, J. 791
Caviglioli, G. 556
Cerutti, I. 241
Cester, C. C. 33
Chafetz, L. 107
Chiang, C.-H. 299
Chan, H.-K. 353
Chantres, J. R. 74
Char, H. 635, 750
Charman, W. N. 321
Chauvet, A. 836
Chen, C.-F. 961
Chen, L.-S. 1210
Chen, P.-H. 91
Chen, T.-M. 212, 486
Cheng, H. 345, 488, 1071
Cherif, A. 622
Chiou, W. L. 212, 486
Choo, Y. S. 486
Chowhan, Z. T. 290
Chu, K. 622
Ciechanowicz-Rutkowska, M. 559
Clark, O. E. 1181
Cocchini, A. 1175
Cohen, L. 49
Cohen, S. 990
Cohen, V. I. 326
Collins, J. 605
Colón, S. 731
Colvin, O. M. 685
Confort-Gouny, S. 249
Connors, K. A. 145, 371
Cook, C. E. 309
Costa, P. 1223
Cotter, M. L. 597
Coudert, P. 1084
Coudray, C. 611
Coughenour, L. L. 1015
Couladouros, E. A. 1126
Couquelet, J. 1084
Coustaut, D. 249
Coutts, R. T. 832
Cox, D. M. 845
Cozzone, P. J. 249
Craik, D. J. 692
Crespo, T. 577
Crider, A. M. 149
Crooks, P. A. 652, 657
Cutler, D. J. 155, 419, 424

Dackson, K. 321
Damani, L. A. 392
Dannan, H. 652, 657
Das, P. R. 1199
Davis, R. E. 1015
Day, R. O. 155
Dayan, N. 131
de Biasi, J. 1020
De Kruif, A. 1216
de la Ceusta, E. 815
de la Cruz, R. 326
De Leenheer, A. P. 1216
Deleuze, C. 183
Delitheos, A. K. 1126
del Mar Canedo, M. 592
Derendorf, H. 1210
Desjardins, R. E. 605
Deslandes, A. 802
Devoisselle, J.-M. 249
De Wilde, G. A. 245
Díaz, L. 920
Diaz, W. 313
Díaz-García, J. M. 768
DiBenedetto, D. J. 1199
Dick, R. M. 149
Digenis, G. A. 295, 730, 797
Dighe, S. 309, 500
Dimmock, J. R. 436, 1059, 1147
Dinculescu, A. 716
Dittert, L. W. 79, 348, 652, 657
Dive, G. 122
Dixit, R. 848
Djedaïni, F. 1157
Djurić, Z. 386
Dollimore, D. 787
Dominguez-Gil, A. 592
Donnell, D. 858
Dorrbecker, B. R. 1071
Druzgala, P. 1210
Dubech, N. 33
Dudzinski, J. 586
Duffy, M. J. 1059, 1147
Duncan-Hewitt, W. C. 701
Dunphy, R. 597

Edens, R. E. 823
Egbaria, K. 186
Egermann, H. 551, 773
Eitan, Y. 1004
Ekinci, A. C. 1092
El-Domiaty, M. M. 475
Elguero, J. 577
El-Kasti, M. 1178
Elkins, J. 104
Ellaithy, M. M. 191
Ellis, P. P. 219
Emling, F. 815
Endo, K. 518, 661
Endoh, H. 508
Engel, G. L. 1012
Erciyas, E. 436
Ertel, K. 303
Eto, K. 228, 1132
Evans, W. E. 259

Fabra-Campos, S. 720
Fakhry, I. 569
Fan, L. H. 326
Fang, Y.-J. 91
Fareed, J. 823
Farhadieh, B. 996
Farin, D. 54
Farinotti, R. 802
Farthing, D. 569
Fassberg, J. 676
Fauré-Jeantis, A. 26
Fazio, G. 726
Fenyves, D. 255
Fernandes, P. B. 313
Fernandez-Navarro, E. 94
Fernandez-Sanchez, C. 94
Ferry, J. J. 736
Finco, T. S. 11, 314
Fini, A. 237, 726
Fleisher, D. 21
Fleming, R. A. 259
Fletcher, S. M. 1059
Fleury, M. B. 565
Florencio, F. 94
Flynn, G. L. 736, 1051
Fos-Galve, D. 768
Fox, J. L. 529
Franchini, M. 303
Frank, P. 551, 773
Fresta, M. 895
Fridriksdóttir, H. 197
Friedman, M. 186
Fronza, G. 812, 1162
Fujie, T. 744
Fujita, T. 164
Fukuchi, H. 1032
Fukunaga, K. 521, 524
Fukushima, S. 508
Furst, D. E. 605
Furuie, M. A. 16
Furuno, K. 228, 1132

Gachon, M. 183
Gaeta, F. 731
Gaffney, M. 315
Gaggelli, E. 367
Gala, D. 1199
Gallo, J. M. 11, 314
Galvez, E. 94
Gamcsik, M. P. 685
Gangrade, N. 201
Gariépy, L. 255
Garwood, M. K. 524
Gaud, H. T. 145
Gazzaniga, A. 871
Gehr, T. W. B. 569
Geisslinger, G. 888
Georgiadis, M. P. 1126
Gesto, C. 815
Gheorghiu, M. D. 716
Ghosh, S. 353
Gibbons, W. A. 845
Gibson, R. E. 326
Gitler, M. S. 326
Glaser, R. 858
Godfrey, J. C. 128
Godfrey, N. J. 128
Gokhale, R. 149, 996
Gole, D. J. 940
Golomb, G. 1004
Gomita, Y. 228, 1132
González, J. L. 592
Gordon, W. P. 345
Goto, S. 537, 904
Graham, R. M. 362
Grant, D. J. W. 353
Gratwohl, A. 491
Gray, M. R. 265
Greenshaw, A. J. 832
Grey, H. 731
Grosser, A. E. 318
Guarneri, M. 237, 726
Guchelaar, H. J. 432
Gungon, R. A. 1113
Gupta, V. W. 483
Gurbarg, M. 500
Gutteridge, J. M. C. 611
Guo, J.-H., 1229
Guy, R. H. 330, 603

Hadad, S. 1047
Haginaka, J. 226
Hall, I. H. 458
Hamelijnck, M. A. F. 392
Hamrell, M. R. 730
Hanson, R. N. 397
Harata, K. 817
Hariman, E. 326
Hariprasad, V. 892
Haro, I. 546
Harpalani, A. 149
Harris, D. 1
Harter, J. G. 605
Hasegawa, K. 1008
Hasegawa, T. 508, 1024
Hashimoto, H. 1038
Hashimura, Y. 828
Haughey, D. B. 117
Hawes, E. M. 1079
Hayashi, H. 1139
He, J.-Y. 710
Heiman, A. S. 463
Henthorn, T. K. 1136
Herráez, M. 720
Herrmann, D. R. 1055
Hershenson, F. M. 1015
Hibino, S. 16
Hickie, R. A. 1147
Higaki, K. 935
Higashide, K. 508
Higuchi, W. I. 529, 1051
Hiller, F. C. 1055
Hillman, R. S. 504
Hino, T. 135
Hirayama, F. 817, 913
Hirayama, H. 1008
Hochhaus, G. 1210
Hogue, D. R. 359
Hoke, J. F. 401
Holder, A. J. 1074
Hori, M. 330
Hosoya, K.-I. 58
Hossain, M. 444
Houin, G. 287, 1020
House, C. A. 1088
Howerth, E. W. 11, 314
Howes, J. 1210
Hrib, N. J. 380
Hsieh, C.-H. 299
Hsu, C.-Y. L. 1028
Hsu, F.-L. 1181
Hsu, J.-P. 866
Hu, M. 113
Hu, O. Y.-P. 91
Huang, M.-J. 272, 954
Hubbard, A. 611
Hubbard, J. W. 747
Huger, F. P. 380
Hughes, R. A. 845
Hussain, A. 652
Hussain, A. A. 79, 348

Iga, T. 1042
Ikawa, A. 828
Imai, T. 141
Inaoka, M. 744
Iqbal, K. 635, 750
Irie, T. 521, 524, 1119
Iseki, K. 348
Iskander, M. N. 692
Italia, A. 812
Ito, T. 904
Itoh, Y. 135
Iwaki, M. 762

Jacobs, J. J. 408
Jalonen, H. U. 1194
Jamali, F. 221
Jaud, J. 836
Jenquin, M. R. 983
Jia, Z. 1059, 1147
Johnston, J. 11, 314
Johnston, T. P. 626
Jones, G. S., Jr. 397
Jonnalagadda, S. S. 436
Jovanović, M. 386
Juni, K. 508
Jurcak, J. G. 380
Jushynski, M. 131
Jusko, W. J. 117

Kadaba, P. K. 392
Kadono, K. 935
Kagoshima, M. 348

Kalonia, D. S. 705
Kaneko, A. 744
Kaneniwa, N. 1189
Kaniwa, N. 1170
Kanno, H. 508
Kao, K.-D. 299
Kapples, K. J. 380
Kararli, T. T. 483, 875
Karnes, T. 569
Katagi, T. 226
Kaung, L.-R. 622
Kawada, J. 828
Kawaguchi, T. 508
Kawakami, J. 1042
Kawakami, K. 1189
Kawashima, Y. 135
Kawata, M. 537, 904
Kenny, P. M. 950
Kerr, C. R. 1098
Kester, J. A. 1015
Khossravi, D. 371
Kim, E. E. 622
Kim, N.-S. 537, 904
Kim, S. W. 532
Kimura, M. 1032
Kimura, S. 141
Kimura, Y. 1032
King, M. L. 91
King, S.-Y. P. 586
Kirkpatrick, D. L. 1059
Kitaura, T. 1032
Knipp, G. T. 1185
Ko, F.-N. 1109
Komata, Y. 744
Kondo, T. 1119
Konishi, M. 1038
Kontturi, K. 970
Koo, J. 221
Korchinski, E. D. 747
Kotaki, H. 1042
Krejcie, T. C. 1136
Krenn, M. 685
Kreuter, J. 736
Kreydiyyeh, S. I. 441
Krumphuber, A. 773
Kubota, K. 863
Kugelman, M. 1199
Kumar, S. 631, 635, 750
Kumari, P. 663
Kwok, K.-M. 91

Lachau, S. 287
Lahet, C. 341
Laine, E. S. U. 1194
Lam, L. K. T. 950
Lambert, W. J. 1028
Lamotte-Brasseur, J. 122
Lanao, J. M. 592
Largeron, M. 565
Larsen, D. L. 345
Layloff, T. 309
Lee, K.-H. 314
Lefebvre, R. A. 245
Leinonen, U. I. 1194
Lelievre, E. 1065
Leong, K. W. 685
Leu, R. 976
Leuenberger, H. 976
Levillain, P. 287
Levy, G. 605
Li, W.-S. 646
Liao, J.-F. 961
Liebowitz, S. M. 983
Lim, J. 663
Lima, M. E. F. 1219
Lin, C.-C. 663
Lin, C.-N. 1109
Lin, M.-J. 866
Lin, S.-Y. 572
Linhardt, R. J. 823
Liou, S.-S. 1109
Lipińska, T. 559
Livi, O. 543
Loftsson, T. 197
López, M. 920
López, R. 577
Lopez-Berestein, G. 208
Lu, D.-W. 299
Lu, H.-H. 21
Lucacchini, A. 543
Ludden, L. K. 541
Ludden, T. 605
Ludden, T. M. 541
Luisi, P. L. 871
Luke, D. R. 208
Lundin, K. 640
Luo, H. 1079

Ma, L. 1104
Maartmann-Moe, K. 858
McChesney, J. D. 646
McColm, A. M. 845
Maccotta, A. 367
McDowall, R. D. 309
McGilveray, I. J. 309
McGinity, J. W. 983
Machado, R. 399
Macheras, P. 110, 1231
Machida, R. 808, 899
Macho, M. I. S. 842
Mack, E. J. 532
McKay, G. 1079
McKee, J. S. 1015
McKenna, K. F. 832
Maddalena, D. J. 408
Maddi, V. 964
Maibach, H. I. 330, 863
Malick, A. W. 631, 635, 750
Maniar, M. L. 705
Mannucci, C. 556, 1175
Manole, G. 716
Munavalli, S. 1181
March, C. 569
Marentette, J. M. 318
Marriott, J. G. 1015
Martin, N. 287
Martínez-Máñez, R. 479
Martini, C. 543
Martín-Villodre, A. 720
Maruyama, T. 16
Masse, J. 836
Matsuda, Y. 529, 1189
Matsumoto, Y. 428
Matsuno, H. 1008
Maurel, J.-L. 836
Maurice, D. M. 615
Maurin, M. B. 79
Medlej-Hashim, M. 1178
Mehvar, R. 199, 221, 908
Mele, A. 1162
Melethil, S. 160
Melles, H. 463
Meltzer, N. M. 631
Mencini, E. 237, 726
Menzel-Soglowek, S. 888
Micali, N. 895
Midha, K. K. 309, 747
Mimaki, Y. 228
Minami, T. 419, 424
Miñones, J. 842
Minutello, A. 237
Miranda, M. A. 181, 479
Mishky, L. M. 504
Miyake, K. 1032
Miyazawa, N. 45
Miyoshi, K. 581
Mizuno, N. 226, 337
Modi, N. B. 175, 925
Moloney, G. P. 692
Montes, M. 791
Moos, W. H. 1015
Morén, F. 753
Morimoto, Y. 58
Morita, E. 337
Morris, K. R. 1185
Mosberg, H. I. 113
Mosser, J. 1223
Moult, R. G. 622
Mouskountakis, J. D. 631
Mrozik, H. 1000
Mulder, N. H. 432
Müller, B. W. 756
Muranishi, H. 513
Murthy, A. S. 787
Murtomäki, L. 970

Nabeshima, T. 1024
Nadai, M. 1024
Nagwekar, J. B. 940
Nakagawa, T. 710
Nakano, M. 508, 935
Nakashima, M. 45, 1008
Nakayama, S. 58
Nargund, L. V. G. 365, 892
Nassar, M. N. 295, 1088
Needham, G. F. 1012
Needham, T. 996
Nelis, H. J. 1216
Neugroschel, E. 635
Neuvonen, P. J. 917
Neville, G. A. 1141
Newman, S. 753
Nikolić, L. 386
Nishida, M. 828
Nishikata, M. 337
Niwa, T. 135
Noory, A. 500
Nuñez-Vergara, L. J. 920
Nyström, C. 879

Oda, Y. 1227
Ofner, C. M., III 85
Ogata, H. 1170
Ogawa, K. 581
Ogiso, T. 762, 1233
Ohizumi, Y. 620

Ohkubo, T. 947
Ohsako, M. 428
Okazaki, O. 45
Oleksyn, B. J. 122, 559
Oliver-Botana, J. 768
Olsen, K. M. 1055
Ong, J. T. H. 290
Ooi, K. 828, 1139
Ookubo, A. 828, 1139
Oosterhuis, J. W. 432
Oreski, A. B. 1147
Oshima, Y. 620
Otagiri, M. 16, 141
Otsuka, K. 1189
Otsuka, M. 529, 1189
Otuk, G. 1092
Oyler, A. R. 597
Ozeki, S. 513

Pai, C. M. 532
Palin, K. J. 321
Palmisano, G. 183
Pan, H.-T. 663
Pao, L.-H. 91
Papadimitropoulos, E. A. 701
Pappalardo, G. C. 1157
Pardo, A. 990
Parrott, E. L. 453
Patel, S. 635, 750
Patoiseau, J.-F. 836
Pec, E. A. 626
Peck, C. C. 605
Pedraz, J. L. 232
Perico, A. 556, 1175
Perly, B. 1157
Petko, W. 380
Pfeiffer, R. R. 1012
Pfoff, D. S. 219
Phillips, O. A. 436
Piemontese, D. 635, 750
Pieri, F. 241
Piraube, C. 1065
Pitha, J. 521
Pitha, Jan 524
Pitha, Joseph 524
Pittman, K. A. 309
Pivnichny, J. V. 1000
Plusquellec, Y. 1020
Pogliani, L. 334, 967
Potts, R. O. 603
Pouillart, P. 241
Powell, M. F. 731
Préat, V. 670
Price, J. C. 201
Price, W. S. 419
Primo, J. 479
Puar, M. S. 1199
Puglisi, G. 895
Puscas, I. 716

Quail, J. W. 1059, 1147
Quinlan, G. J. 611

Rabanal, F. 546
Rafaeloff, R. 131
Raghu, K. S. 964
Ragner, J. A. 345
Rahman, Y.-E. 353
Ramachandran, C. 1104
Rao, K. N. 463
Rao, M. N. A. 964
Rao, V. R. 403
Ratka, A. 1210
Ravasco, R. J. 690
Ravis, W. R. 401
Ray, R. 1181
Reba, R. C. 326
Redda, K. K. 463
Reddy, G. R. N. 892
Redenti, E. 1162
Reger, G. 622
Reid, R. S. 1059, 1147
Reig, F. 546
Reigner, B. G. 1113
Remon, J.-P. 245
Reppas, C. 110, 1231
Rethwisch, D. G. 823
Retzinger, G. S. 49
Ribet, J.-P. 836
Riegel, M. R. 219
Rivas, C. 399
Riviere, J. E. 504, 601
Robertson, R. E., 1229
Robinson, J. R. 1
Rochas, M. A. 287
Roda, A. 237, 726
Rodman, J. H. 605
Rogers, J. A. 282, 1166
Roivas, L. 917
Roland, M. 670
Ronco, G. 241
Rotenberg, K. S. 541
Rubat, C. 1084
Rumore, M. M. 203
Rusch, D. N. 1204
Russell, A. S. 221
Rutherford, B. S. 1012
Rutledge, J. M. 1147
Ryan, C. M. 350

Saadeh, H. 1004
Sainz, M. C. 74
Salim, A. S. 70, 698, 943, 1095
Salvador, R. A. 750
Salvagnini, F. 1175
Sanathanan, L. 605
Sánchez-Moyano, E. 720
Santa, T. 1042
Santolaria, A. 720
Sanz-Aparicio, J. 94
Sanzgiri, Y. 11, 314
Sarabia, R. E. 983
Sarrazin, B. 1223
Sato, H. 1008
Sato, T. 1227
Sattari, S. 221
Sauveur, C. 1065
Saville, B. A. 265
Sawada, Y. 1042
Sawchuk, R. J. 491
Scarlata, G. 1157
Scartoni, V. 543
Schaefer, H. 1051
Schentag, J. J. 605
Schiavi, M. 812
Schiketanz, A. 716
Schlossman, A. 1004
Schmidt, C. 996
Schoenhard, G. 996
Schott, H. 467
Schulman, S. G. 112
Schwarz, R. D. 1015
Scott, H. E. 1147
Seco, C. 720
Seki, T. 58, 508
Selva, A. 812
Semple, H. A. 436
Serafini, S. 812
Serajuddin, A. T. M. 1185
Sette, A. 731
Seydel, J. K. 849
Shaco-Ezra, N. 131
Shah, A. K. 491
Shah, K. A. 359
Shah, V. P. 104, 309, 500, 605, 1051
Shanbhag, V. R. 149
Shanks, C. A. 1136
Shaw, C. J. 597
Sheiner, L. B. 605
Shepard, T. L. 908
Shepherd, A. M. M. 541
Shibukawa, A. 710
Shimoyama, R. 947
Shiri, Y. 990
Shiu, G. K. 1153
Shoji, N. 661
Shum, A. Y.-C. 961
Shurvell, H. F. 1141
Shutske, G. M. 380
Shyam, K. 436
Sica, D. A. 569
Sidhu, K. K. 1059
Sidik 620
Sigvardson, K. W. 586
Silvestri, S. 413
Silvey, G. L. 471
Simmons, J. E. 1153
Simonelli, A. P. 705
Sitkovsky, M. V. 37
Skelly, J. P. 104, 309, 500, 605, 1153
Slaughter, R. L. 966
Smith, C. P. 380
Smithers, J. A. 232
Soine, P. J. 362
Soine, W. H. 362
Sood, A. 458
Sood, C. K. 458
Sosnovsky, G. 496
Soto, J. 479
Spector, S. 309
Spielvogel, B. F. 458
Sproles, G. D. 345
Squella, J. A. 920
Srinivas, N. R. 747
Srinivas, S. P. 615
Stanski, D. R. 605
Stella, V. J. 676
Stevenson, P. J. 392
Stewart, C. F. 259
Stolzenbach, J. 875, 996
Stone, J. A. 321
Stong, J. D. 1000
St-Pierre, L. E. 65
Stroppolo, F. 871
Stuhler, J. D. 1071
Subarnas, A. 620

Subramanian, P. 113
Sugawara, K. 947
Sugibayashi, K. 58
Supuran, C. T. 716
Suszko-Purzycka, A. 122, 559
Suzuki, T. 828
Symillides, M. 110, 1231

Tackett, R. 11, 314
Taffs, R. E. 37
Takahashi, K. 226, 337
Takei, M. 518, 661
Takeuchi, H. 135
Tam, Y. K. 265
Tamagawa, S. 226
Tanaka, N. 1042
Tang, H.-S. 91
Tang, J.-P. 160
Tanioka, Y. 1170
Tansey, W. 622
Tata, S. S. 787
Tecle, H. 1015
Tempest, M. L. 1147
Temple, R. J. 605
Teng, C.-M. 1109
Terakita, A. 710
Tett, S. E. 155
Tewson, T. 622
Thomas, A. J. 1015
Thomas, J. 21
Thompson, G. A. 232
Thysman, S. 670
Tilbury, R. S. 622
Tillement, J. P. 1020
Timmer, P. G. 1028
Ting, C. 866
Toiron, C. 577
Toledo-Velasquez, D. 145
Tomer, J. D. 380
Tomita, Y. 828
Tompkins, R. G. 350
Tonn, G. R. 1098
Torosian, G. 586
Toth, I. 845
Touitou, E. 131
Toutain, P.-L. 33
Tozer, T. N. 1113
Trenque, T. 1020
Triolo, A. 556, 1175
Tronche, P. 1084
Trouvin, J. H. 241, 802
Tsai, C.-C. 690
Tsai, J.-C. 736
Tsai, T.-H. 961
Tse, S. Y. H. 449
Tsugane, A. 508
Tsushima, Y. 808, 899
Tsutsumi, Y. 762
Tufenkji, A. E. 287

Uakama, K. 1119
Uchida, T. 537, 904
Uchino, K. 1042
Uchiyama, M. 1170
Uekama, K. 817, 913
Uematsu, T. 45, 1008
Ueno, M. 141, 518
Umeyama, A. 661
Umezawa, O. 1189
Unadkat, J. D. 690
Ungell, A.-L. 640
Upadrashta, S. M. 1074
Usero, J. L. 791
Utsuki, T. 817
Utter, L. 640

Valensin, G. 367
Vandenbossche, G. M. R. 245
Vandenbranden, J. 1216
van der Kleijn, E. 1047
Van Gelder, J. M. 1004
Vañó, L. 479
Varela, A. S. 842
Vargas, F. 181, 399
Varlashkin, P. 1204
Veng-Pedersen, P. 175, 925
Venkataram, S. 353
Ventura, P. 1162
Vera, A. 791
Vergnaud, J. P. 183
Vihervaara, P. A. 1194
Villa, M. 812
Villa, P. 241
Villari, A. 895
Villeneuve, J.-P. 255
Vion-Dury, J. 249
Viswanathan, C. T. 309, 605
Vogelsang, G. B. 685
Vree, T. B. 1047
Vudathala, G. K. 282, 1166

Waksmunski, F. S. 1000
Walde, P. 871
Wallace, S. 622
Walters, R. R. 1028
Wantanabe, S. 808
Ward, P. 845
Watanabe, S. 899
Wehler, T. 777
Weissinger, J. 605
Weiler, J. M. 823
Weiner, N. D. 736, 1104
Weise, M. 849
Weisz, A. 753
Wells, M. L. 453
Welz, M. M. 85
Westesen, K. 777
Westphal, J. F. 802
White, D. 1204
Williams, P. L. 504, 601
Willimann, H. 871
Wilson, D. E. 532
Wilson, J. 11, 314
Wilson, J. G. 408
Wong, J. 529
Wong, O. T. 458
Woodworth, J. R. 541
Wouda, S. 432
Wout, Z. G. 626
Wright, K. C. 622
Wu, L. L. 413
Wu, P.-Y. 219
Wu, S. T. 1153

Xu, Z.-X. 160

Yacobi, A. 309, 605
Yakimets, W. W. 221
Yamakawa, I. 808, 899
Yamakita, H. 797
Yamamoto, M. 913
Yamamura, Y. 1042
Yamasaki, M. 817
Yang, D. J. 622
Yarmush, M. L. 350
Yarnal, S. M. 365
Yasuda, H. 226
Yasuda, Y. 1170
Yau, J. C. 208
Yokel, R. A. 490
Yoshimura, Y. 828
Yranzo, G. I. 577
Yu, D. 529
Yuasa, H. 513

Zanocco, A. L. 920
Zarembo, J. E. 128
Zeise, L. 1113
Zheng, G. 950
Zhu, L. 1059
Zhu, X. X. 65
Zimmardi, J. A. 359
Zuman, P. 191

Absorption
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26
Utilization of peptide carrier system to improve intestinal absorption: Targeting prolidase as a prodrug-converting enzyme, 113
Pharmaceutical evaluation of ibuprofen fast-absorbed syrup containing low-molecular-weight gelatin, 141
An algorithm for constrained deconvolution based on reparameterization, 175
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Evaluation of the mass balance assumption with respect to the two-resistance model of intestinal absorption by using in situ single-pass intestinal perfusion of theophylline in rats, 321
Effect of gastrointestinal maturation on absorption of β-lactam antibiotics, 337
Absorption of acetylsalicylic acid from the rat nasal cavity, 348
Evaluation of methods for estimating the rate constant for a one-compartment absorption model when absorption and elimination rate constants are equal, 401
Alternative derivation for the gastrointestinal absorption residence time, 486
Pharmacokinetic model for subcutaneous absorption of cyclosporine in the rabbit during chronic treatment, 491
Effects on enzymatic inhibition and increased paracellular shunting on transport of vasopressin analogues in the rat, 640
Enhancement of percutaneous absorption by laurocapram, 762 and 1233
Adaptive computer program for determination of absorption profiles by numerical deconvolution: Application to amoxicillin absorption, 802
Rate-limiting steps in oral absorption of a leucotriene D_4 antagonist in the beagle dog, 875
Nicotine absorption after pulmonary instillation, 1055
Enhanced rectal absorption and reduced local irritation of the anti-inflammatory drug ethyl 4-biphenylylacetate in rats by complexation with water-soluble β-cyclodextrine derivatives and formulation as oleaginous suppository, 1119

Acetaminophen
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21
Influence of age-dependent pharmacokinetics and metabolism on acetaminophen hepatotoxicity, 203
Pharmacokinetics and pharmacodynamics in the design of controlled-release beads with acetaminophen as model drug, 444

Acetylcholine and acetylcholinesterase
Aminopyridine carbamic acid esters: Synthesis and potential as acetylcholinesterase inhibitors and acetylcholine releasers, 380
Cholinergic agents: Effect of methyl substitution in a series of arecoline derivatives on binding to muscarinic acetylcholine receptors, 1015

Acetylsalicylic acid
Absorption of acetylsalicylic acid from the rat nasal cavity, 348

α_1-Acid glycoprotein

Acid–base equilibria
Acid–base properties of pristinamycin I_A and related compounds, 565

Adjuvants
Relationship of film properties to drug release from monolithic films containing adjuvants, 983

Adrenergic receptors
Effect of nasolacrimal occlusion on timolol concentrations in the aqueous humor of the human eye, 219
Stereoselective hydrolysis of *O*-acetyl propranolol as prodrugs in rat tissue homogenates, 226
High-performance liquid chromatography method for determination of ronactolol in urine and plasma: Evaluation of pharmacokinetic parameters in healthy humans, 556
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397
Chronic administration of the antidepressant-antipanic drug phenelzine and its N-acetylated analogue: Effects on monoamine oxidase, biogenic amines, α_2-adrenoreceptor function, 832
Pharmacokinetics of moxisylyte in healthy volunteers after intravenous and oral administration, 1223

Adsorbents
Hydrotalcites as potential adsorbents of intestinal phosphate, 1139

Adsorption
Reversible adsorption of nicotinic acid onto charcoal in vitro, 917
Hydrotalcites as potential adsorbents of intestinal phosphate, 1139

Albumin
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Factors affecting in vitro protein binding of etoposide in humans, 259
First-derivative spectroscopic determination of binding characteristics of rifampicin to human albumin and serum, 287
Vanadium and copper in clinical solutions of albumin and their potential to damage protein structure, 611
Interaction of bovine serum albumin with the surface of a microcrystalline aluminum oxide hydroxide compound: A possible new type of phosphate adsorbent, 828
Spectrofluorimetric study of the binding of 1-Anilinonaphthalene-8-sulfonate to bovine serum albumin, 842

Albuterol
Transdermal drug delivery systems of albuterol: In vitro and in vivo studies, 996

Algorithms
An algorithm for constrained deconvolution based on reparameterization, 175

Aliphatic tertiary amine group
Synthesis and characterization of quaternary ammonium-linked glucuronide metabolites of drugs with an aliphatic tertiary amine group, 1079

Alkaloids
Molecular properties of *Cinchona* alkaloids: A theoretical approach, 122

Alkyl *p*-aminobenzoate
Bulk organic solvent–water systems as a possible model to predict alkyl *p*-aminobenzoate partitioning in liposomes, 1104

Allopurinol
Stimulation of healing by free radical scavengers of ischemia-induced acute gastric mucosal injury in the rat, 1095
Comparative study of interaction mode of diazepines with human serum albumin and α_1-acid glycoprotein, 16

Alprazolam
Metabolism and distribution of 1-[^{14}C]alprazolam in rats, 797

Aluminum
Kinetics of aluminum in rats. III: Effect of route of administration, 160

Aluminum hydroxide
Influence of dielectric constant on sedimentation rate of concentrated suspensions of aluminum and magnesium hydroxides, 787

Aluminum oxide hydroxide
Interaction of bovine serum albumin with the surface of a microcrystalline aluminum oxide hydroxide compound: A possible new type of phosphate adsorbent, 828

Ambrette musk residue
Isolation and biological evaluation of potential cancer chemopreventive agents from ambrette musk residue, 950

Amine-boranes
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458

Amino acids
Molecular connectivity model for determination of isoelectric point of amino acids, 334
Molecular connectivity: Treatment of the electronic structure of amino acids, 967

3-Amino-1-(*m*-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one
Characterization of polymorphs and solvates of 3-amino-1-(*m*-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one, 836

Aminopropanol
High-performance liquid chromatography method for determination of ronactolol in urine and plasma: Evaluation of pharmacokinetic parameters in healthy humans, 556

Amino pyridine carbamate esters
Aminopyridine carbamic acid esters: Synthesis and potential as acetylcholinesterase inhibitors and acetylcholine releasers, 380

Aminoxyl radicals
A critical evaluation of the present status of toxicity of aminoxyl radicals, 496

Amobarbital
Identification of 5-ethyl-5-(2-methylbutyl)barbituric acid as an impurity of manufacture in amobarbital, 362

Amoxicillin
Adaptive computer program for determination of absorption profiles by numerical deconvolution: Application to amoxicillin absorption, 802

Amyrin palmitate
An antidepressant principle of *Lobelia inflata* L. (Campanulaceae), 620

Analgesic agents
Structural study of benzidamine salicylate in the solid state and in solution, 94
Synthesis and pharmacological evaluation of some *N*-[pyridyl(phenyl)carbonylamino]methyl-1,2,3,6-tetrahydropyridines, 463
Variability of inversion of (*R*)-Flurbiprofen in different species, 888
Synthesis and anti-inflammatory activity of 3-(benzylideneamino)coumarins in rodents, 964
Synthesis of mannich bases of arylidenepyridazinones as analgesic agents, 1084
Analytical methods validation
Analytical methods validation: Bioavailability, bioequivalence, and pharmacokinetics studies, 309
Angiotensin-converting enzyme inhibitor
Radioimmunoassays for a new angiotensin-converting enzyme inhibitor, zabicipril, and its active metabolite, zabiciprilat, in human plasma, 1065
Disposition of a new diacid angiotension-converting enzyme inhibitor after intravenous administration of drug or prodrug to monkeys and dogs, 1071
Anilines
Partition behavior of anilines in bulk-phase and high-performance liquid chromatographic systems: Influence on correlation with biological constants, 720
1-Anilinonaphthalene-8-sulfonate
Spectrofluorimetric study of the binding of 1-Anilinonaphthalene-8-sulfonate to bovine serum albumin, 842
8-Anilo-1-naphthalene sulfonate
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Animal studies, dogs
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 11 and 314
Pharmaceutical evaluation of ibuprofen fast-absorbed syrup containing low-molecular-weight gelatin, 141
Disposition of 8-methyl-8-azabicyclo[3,2,1]octan-3-yl 3,5-dichlorobenzoate, a potent 5-hydroxytryptamine antagonist, and two metabolites in dogs and monkeys, 345
Rate-limiting steps in oral absorption of a leucotriene D_4 antagonist in the beagle dog, 875
Variability of inversion of (*R*)-Flurbiprofen in different species, 888
Nicotine absorption after pulmonary instillation, 1055
Disposition of a new diacid angiotension-converting enzyme inhibitor after intravenous administration of drug or prodrug to monkeys and dogs, 1071
Gastric emptying of tablets and granules in humans, dogs, pigs, and stomach-emptying-controlled rabbits, 1170
Pharmacokinetic characterization and tissue distribution of the new glucocorticoid soft drug loteprednol etabonate in rats and dogs, 1210
Animal studies, ewe
Effect of sexual steroid hormones on spiramycin disposition in genital tract secretions of the ewe, 33
Animal studies, gerbils or guinea pigs
Variability of inversion of (*R*)-Flurbiprofen in different species, 888
Animal studies, monkeys
Disposition of 8-methyl-8-azabicyclo[3,2,1]octan-3-yl 3,5-dichlorobenzoate, a potent 5-hydroxytryptamine antagonist, and two metabolites in dogs and monkeys, 345
A high-performance liquid chromatographic assay for dideoxyinosine in monkey plasma and urine, 690
Transdermal drug delivery systems of albuterol: In vitro and in vivo studies, 996
Disposition of a new diacid angiotension-converting enzyme inhibitor after intravenous administration of drug or prodrug to monkeys and dogs, 1071
Animal studies, pigs
Gastric emptying of tablets and granules in humans, dogs, pigs, and stomach-emptying-controlled rabbits, 1170
Animal studies, rabbits
Pharmacokinetic studies of *N*-butyric acid mono- and polyesters derived from monosaccharides, 241
Pharmacokinetic model for subcutaneous absorption of cyclosporine in the rabbit during chronic treatment, 491
Hydroxypropylcyclodextrins in parenteral use. II: Effects on transport and disposition of lipids in rabbit and humans, 524
Preparation and evaluation of eudragit gels. III: Rectal gel prepartions for sustained release of pentoxifylline, 537
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904
Gastric emptying of tablets and granules in humans, dogs, pigs, and stomach-emptying-controlled rabbits, 1170
Animal studies, rats or mice
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
Role of sulfhydryl-containing agents in the healing of erosive gastritis and chronic gastric ulceration in the rat, 70
New hybrids of quipazine and trazodone as selective inhibitors of uptake of 5-hydroxytryptamine, 99
Bioavailability and nonlinear disposition of methylprednisolone and methylprednisone in the rat, 117
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Kinetics of aluminum in rats. III: Effect of route of administration, 160
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
Stereoselective hydrolysis of *O*-acetyl propranolol as prodrugs in rat tissue homogenates, 226
Influences of exposure to cigarette smoke on concentration of nicorandil in plasma of rats, 228
Propranolol disposition in the rat: Variation in hepatic extraction with unbound drug fraction, 255
Evaluation of the mass balance assumption with respect to the two-resistance model of intestinal absorption by using in situ single-pass intestinal perfusion of theophylline in rats, 321
Effect of gastrointestinal maturation on absorption of β-lactam antibiotics, 337
Absorption of acetylsalicylic acid from the rat nasal cavity, 348
Physiological modeling of disposition of potential tumor-imaging radiopharmaceuticals in tumor-bearing mice, 408
Pharmacokinetics of parenteral 13-*cis*-retinoic acid formulations in rats, 432
Cholinomimetic compound distinct from caffeine contained in coffee. II: Muscarinic actions, 449
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Biological activity of urease formulated in poloxamer 407 after intraperitoneal injection in the rat, 626
Effects on enzymatic inhibition and increased paracellular shunting on transport of vasopressin analogues in the rat, 640
Protection against chronic gastric ulceration in the rat with sulfhydryl-containing agents, 698
Nasal delivery of [^{14}C]dextromethorphan hydrochloride in rats: Levels in plasma and brain, 750
Pharmacokinetics of diazepam in the rat: Influence of a carbon tetrachloride-induced hepatic injury, 768
Metabolism and distribution of 1-[^{14}C]alprazolam in rats, 797
In vitro and in vivo release of poly(DL-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
Chronic administration of the antidepressant-antipanic drug phenelzine and its N-acetylated analogue: Effects on monoamine oxidase, biogenic amines, α_2-adrenoreceptor function, 832
Variability of inversion of (*R*)-Flurbiprofen in different species, 888
Molecular weight-dependent pharmacokinetics of fluorescein-labeled dextrans in rats, 908
Stereoselective pharmacokinetics of a novel uricosuric antihypertensive diuretics in rats: Pharmacokinetics interaction between enantiomers, 935
Effects of chronic ethanol ingestion on tissue elimination-phase kinetics of procainamide in rats, 940
Use of scavenging oxygen-derived free radicals to protect the rat against aspirin- and ethanol-induced erosive gastritis, 943
Pharmacokinetics of glycyrrhizin after intravenous administration to rats, 961
Synthesis and anti-inflammatory activity of 3-(benzylideneamino)coumarins in rodents, 964
Pharmacokinetic analysis of maprotiline and its demethylated metabolite in serum and brain of rats after acute and chronic oral administration of maprotiline, 1032
Stimulation of healing by free radical scavengers of ischemia-induced acute gastric mucosal injury in the rat, 1095
Pharmacokinetic concepts in assessing intake of pentachlorophenol by rats after exposure through drinking water, 1113
Enhanced rectal absorption and reduced local irritation of the anti-inflammatory drug ethyl 4-biphenylylacetate in rats by complexation with water-soluble β-cyclodextrine derivatives and formulation as oleaginous suppository, 1119

Effects of exposure to standard- and nicotine-reduced-cigarette smoke on pharmacokinetics of theophylline and cimetidine in rats, 1132
Oral bioavailability of griseofulvin from aged griseofulvin:lipid coprecipitates: In vitvo studies in rats, 1166
Pharmacokinetic characterization and tissue distribution of the new glucocorticoid soft drug loteprednol etabonate in rats and dogs, 1210

Anion transport
Chloride-37 nuclear magnetic resonance spectroscopic study of binding of salicylic acid and other hydroxybenzoic acids to the band 3 anion transport protein of human erythrocytes, 419
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Transport of drugs through human erythrocyte membranes: pH dependence of drug transport through labeled human erythrocytes in the presence of band 3 protein inhibitor, 428

Anthralin
A semiempirical computational investigation of the antipsoriatic drug anthralin, 1074

Anti-Alzheimer's disease agents
Aminopyridine carbamic acid esters: Synthesis and potential as acetylcholinesterase inhibitors and acetylcholine releasers, 380

Antiarrhythmic agents
Degradation kinetics and mechanisms of moricizine hydrochloride in acidic medium, 586
In vitro protein binding of propafenone and 5-hydroxypropafenone in serum, in solutions of isolated serum proteins, and to red blood cells, 1098

Antiasthma agents
Rate-limiting steps in oral absorption of a leucotriene D_4 antagonist in the beagle dog, 875

Anticalcification
In vitro and in vivo anticalcification effects of novel bishydroxyiminophosphonates, 1004

Anticholinesterase inhibition
Cholinomimetic compound distinct from caffeine contained in coffee. II: Muscarinic actions, 449
Synthesis and anticholinesterase activity of new bispyridinium compounds, 1181

Anticonvulsant agents
Triazolines. XXI: Preformulation degradation kinetics and chemical stability of a novel triazoline anticonvulsant, 392
Anticonvulsant properties of some mannich bases of conjugated arylidene ketones, 436
Pharmacokinetic analysis of ester prodrugs of valproic acid, 1047

Antidepressant agents
New hybrids of quipazine and trazodone as selective inhibitors of uptake of 5-hydroxytryptamine, 99
An antidepressant principle of *Lobelia inflata* L. (Campanulaceae), 620
Chronic administration of the antidepressant-antipanic drug phenelzine and its N-acetylated analogue: Effects on monoamine oxidase, biogenic amines, α_2-adrenoreceptor function, 832
Pharmacokinetic analysis of maprotiline and its demethylated metabolite in serum and brain of rats after acute and chronic oral administration of maprotiline, 1032

Antifungal agents
Decomposition of α-hydroxyaryl ketones and characterization of some unusual products, 1199

Antiglaucoma agents
Effect of nasolacrimal occlusion on timolol concentrations in the aqueous humor of the human eye, 219
Stability studies of topical carbonic anhydrase inhibitor 6-hydroxyethoxy-2-benzothiazole sulfonamide, 299

Antihistamines
Role of intracellular Ca^{2+} on histamine release from rat peritoneal mast cells, 518

Anti-HIV agents
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 11 and 314
A high-performance liquid chromatographic assay for dideoxyinosine in monkey plasma and urine, 690

Antihypertension agents
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
Stereoselective pharmacokinetics of a novel uricosuric antihypertensive diuretics in rats: Pharmacokinetics interaction between enantiomers, 935

Anti-immunoglobulin E
Ciwujianosides D_1 and C_1: Powerful inhibitors of histamine release induced by anti-immunoglobulin E from rat peritoneal mast cells, 661

Anti-inflammatory agents
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Structural study of benzidamine salicylate in the solid state and in solution, 94
Pharmaceutical evaluation of ibuprofen fast-absorbed syrup containing low-molecular-weight gelatin, 141
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Photochemistry of tiaprofenic acid, a nonsteroidal anti-inflammatory drug with phototoxic side effects, 181
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Synthesis and antimicrobial and anti-inflammatory activities of substituted 2-mercapto-3-(*N*-aryl)pyrimido[5,4-*c*]cinnolin-4-(3*H*)-ones, 365
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458
Synthesis and pharmacological evaluation of some *N*-[pyridyl(phenyl)carbonylamino]methyl-1,2,3,6-tetrahydropyridines, 463
Oxidative decarboxylation of naproxen, 479
Preparation of potential anti-inflammatory agents from dehydroabietic acid, 646
High-performance frontal analysis–high-performance liquid chromatographic system for stereoselective determination of unbound ketoprofen enantiomers in plasma after direct sample injection, 710
Identification of the major degradation products of 4-methoxy-2-(3-phenyl-2-propynyl)phenol formed by exposure to air and light, 812
Variability of inversion of (*R*)-Flurbiprofen in different species, 888
Synthesis and anti-inflammatory activity of fluorinated phenyl styryl ketones and *N*-phenyl-5-substituted aryl-3-*p*-(fluorophenyl) pyrazolins and pyrazoles, 892
Synthesis and anti-inflammatory activity of 3-(benzylideneamino)coumarins in rodents, 964
Pharmacokinetic profile of glycyrrhizin in healthy volunteers by a new high-performance liquid chromatographic method, 1042
Enhanced rectal absorption and reduced local irritation of the anti-inflammatory drug ethyl 4-biphenylylacetate in rats by complexation with water-soluble β-cyclodextrine derivatives and formulation as oleaginous suppository, 1119
The synthesis and anti-inflammatory properties of a new sulindac analogue synthesized from natural safrole, 1219

Antimalarial agents
Molecular properties of *Cinchona* alkaloids: A theoretical approach, 122
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155

Antimicrobial agents
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
Effect of basic cholane derivatives on intestinal cholic acid metabolism: In vitro and in vivo activity, 237
Fluoroquinolones in the treatment of infectious diseases, 313
Effect of gastrointestinal maturation on absorption of β-lactam antibiotics, 337
Synthesis and antimicrobial and anti-inflammatory activities of substituted 2-mercapto-3-(*N*-aryl)pyrimido[5,4-*c*]cinnolin-4-(3*H*)-ones, 365
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529
Acid–base properties of pristinamycin I_A and related compounds, 565
Determination of a cephalosporin antibiotic, ceftibuten, in human plasma with column-switching high-performance liquid chromatography with ultraviolet detection, 663
Synthesis and biological activity of new 1,8-diaza-2,9,10-anthracenetrione derivatives, 815
Lipidic peptides. V: Penicillin and cephalosporin acid conjugates with increased lipophilic character, 845
Radical-induced oxidation of oxahydrindene (hexahydrobenzofuran) portion of 22,23-dihydroavermectin B_{1a}: Identification of autooxidation products, 1000
Determination of pivaloylcarnitine in human plasma and urine by high-performance liquid chromatography with fluorescence detection, 1038
Synthesis and antimicrobial properties of 2*H*-pyran-3(6*H*)-one derivatives and related compounds, 1126

Antimuscarinic agents
Quinidine as a muscarinic antagonist: A structural approach, 559

Antinausea agents
Disposition of 8-methyl-8-azabicyclo[3,2,1]octan-3-yl 3,5-dichlorobenzoate, a potent 5-hydroxytryptamine antagonist, and two metabolites in dogs and monkeys, 345
Stability of batanopride hydrochloride in aqueous solutions, 1088
Antipsoriatic agents
A semiempirical computational investigation of the antipsoriatic drug anthralin, 1074
Antipsychotic drugs
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26
Antirheumatic agents
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155
Antitumor agents
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197
Factors affecting in vitro protein binding of etoposide in humans, 259
Pharmacokinetics of parenteral 13-*cis*-retinoic acid formulations in rats, 432
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458
A critical evaluation of the present status of toxicity of aminoxyl radicals, 496
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Synthesis and biological activity of new 1,8-diaza-2,9,10-anthracenetrione derivatives, 815
Isolation and biological evaluation of potential cancer chemopreventive agents from ambrette musk residue, 950
Synthesis and cytotoxic evaluation of some 6-arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes and related compounds, 1059
Approximation function
Statistical approaches to stability protocol design, 303
Arbutamine
Quantitative prediction of transdermal iontophoretic delivery of arbutamine in humans with the in vitro isolated perfused porcine skin flap, 504
Arecaidine
Cholinergic agents: Effect of methyl substitution in a series of arecoline derivatives on binding to muscarinic acetylcholine receptors, 1015
Aromatic compounds
Solvent effects on chemical processes. I: Solubility of aromatic and heterocyclic compounds in binary aqueous–organic solvents, 371
Arrythmogenic agents
Cholinomimetic compound distinct from caffeine contained in coffee. II: Muscarinic actions, 449
Aryl and arylidene ketones
Decomposition of α-hydroxyaryl ketones and characterization of some unusual products, 1199
6-Arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes
Synthesis and cytotoxic evaluation of some 6-arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes and related compounds, 1059
Arylidene ketones
Evaluation of cytotoxicity of some Mannich bases of various aryl and arylidene ketones and their corresponding arylhydrazones, 1147
Arylidenepyridazinones
Synthesis of mannich bases of arylidenepyridazinones as analgesic agents, 1084
Aryl or arylidene ketones and hydrazones
Anticonvulsant properties of some Mannich bases of conjugated arylidene ketones, 436
Evaluation of cytotoxicity of some mannich bases of various aryl and arylidene ketones and their corresponding arylhydrazones, 1147
Aspirin
Absorption of acetylsalicylic acid from the rat nasal cavity, 348
Influence of in vitro test conditions on release of aspirin from commercial tablets, 386
Simultaneous spectrophotometric determination in solid phase of aspirin and its impurity salicylic acid in pharmaceutical formulations, 895
Use of scavenging oxygen-derived free radicals to protect the rat against aspirin- and ethanol-induced erosive gastritis, 943
Atenolol
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397
Atosiban
Characterization of a synthetic peptide impurity by fast-atom bombardment–tandem mass spectrometry and gas chromatography--mass spectrometry, 597
Attention deficit hyperactivity disorder
Stereoselective urinary pharmacokinetics of *dl-threo*-methylphenidate and its major metabolite in humans, 747
Autoxidation
Autoxidation of tetrazepam in tablets: Prediction of degradation impurities from the oxidative behavior in solution, 183
Radical-induced oxidation of oxahydrindene (hexahydrobenzofuran) portion of 22,23-dihydroavermectin B_{1a}: Identification of autooxidation products, 1000
Avidin column
Direct-injection high-performance liquid chromatographic analysis of drug enantiomers in plasma with an avidin column coupled on-line to an ovomucoid column, 1227
Azoles
High-performance liquid chromatographic determination of the π Values of Azol-*N*-yl substituents, 577
Azone, see Laurocapram
Band 3 protein
Chloride-37 nuclear magnetic resonance spectroscopic study of binding of salicylic acid and other hydroxybenzoic acids to the band 3 anion transport protein of human erythrocytes, 419
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Transport of drugs through human erythrocyte membranes: pH dependence of drug transport through labeled human erythrocytes in the presence of band 3 protein inhibitor, 428
Barbiturates
Identification of 5-ethyl-5-(2-methylbutyl)barbituric acid as an impurity of manufacture in amobarbital, 362
Batanopride hydrochloride
Stability of batanopride hydrochloride in aqueous solutions, 1088
***Ammi visnaga* Fruits**
Improved high-performance liquid chromatographic determination of khellin and visnagin in *Ammi visnaga* fruits and pharmaceutical formulations, 475
***Cinchona* alkaloids**
Molecular properties of *Cinchona* alkaloids: A theoretical approach, 122
(*E*)-4-(1-Imidazoylmethyl)cinnamic acid
Prominent inclusion effect of dimethyl-β-cyclodextrin on photoisomerization of the thromboxane synthetase inhibitor (*E*)-4-(1-imidazoylmethyl)cinnamic acid, 817
2*H*-Pyran-3(6*H*)-ones
Synthesis and antimicrobial properties of 2*H*-pyran-3(6*H*)-one derivatives and related compounds, 1126
***Lobelia inflata* L. (Campanulaceae)**
An antidepressant principle of *Lobelia inflata* L. (Campanulaceae), 620
***N*-Methylverapamil**
Discontinuous alterations of platelet structure and function by bound, ionizable verapamil, 49
***N*-Nitrosoureas**
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197
N^2-Acetylphenelzine
Chronic administration of the antidepressant-antipanic drug phenelzine and its N-acetylated analogue: Effects on monoamine oxidase, biogenic amines, α_2-adrenoreceptor function, 832
Benzidamine salicylate
Structural study of benzidamine salicylate in the solid state and in solution, 94
Benzodiazepines
Autoxidation of tetrazepam in tablets: Prediction of degradation impurities from the oxidative behavior in solution, 183
Specific inhibition of binding to benzodiazepine receptors by 1,2,3-triazole derivatives, 543
Benzoic acids
Mechanism of diffusion on monosubstituted benzoic acids through ethylene-vinyl acetate copolymers, 79
Benzoxazines
Qualitative analysis of the stability of the oxazine ring of various benzoxazine and pyridooxazine derivatives with proton nuclear magnetic resonance spectroscopy, 692
3-(Benzylideneamino)coumarins
Synthesis and anti-inflammatory activity of 3-(benzylideneamino)coumarins in rodents, 964
Betamethasone valerate
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104

Bile acid
Basic cholane derivatives. XI: Comparison between acid and basic derivatives, 726
Bile acids
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Polymeric sorbents for bile acids. I: Comparison between cholestyramine and colestipol, 65
Effect of basic cholane derivatives on intestinal cholic acid metabolism: In vitro and in vivo activity, 237
Bilirubin
Factors affecting in vitro protein binding of etoposide in humans, 259
Binding studies
Comparative study of interaction mode of diazepines with human serum albumin and α_1-acid glycoprotein, 16
Discontinuous alterations of platelet structure and function by bound, ionizable verapamil, 49
Polymeric sorbents for bile acids. I: Comparison between cholestyramine and colestipol, 65
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Pharmacokinetic-pharmacodynamic modeling: Time-dependent protein binding—an alternative interpretation of clockwise and counterclockwise hysteresis, 232
Propranolol disposition in the rat: Variation in hepatic extraction with unbound drug fraction, 255
Factors affecting in vitro protein binding of etoposide in humans, 259
First-derivative spectroscopic determination of binding characteristics of rifampicin to human albumin and serum, 287
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397
Chloride-37 nuclear magnetic resonance spectroscopic study of binding of salicylic acid and other hydroxybenzoic acids to the band 3 anion transport protein of human erythrocytes, 419
Uptake of fractionated [^{3}H]Heparin by rat parenchymal hepatocytes in primary culture: Effects of α-globulin, temperature, and pH, 513
Concanavalin A microspheres for a self-regulating insulin delivery system, 532
Specific inhibition of binding to benzodiazepine receptors by 1,2,3-triazole derivatives, 543
Peptide stability in drug development: A comparison of peptide reactivity in different biological media, 731
Spectrofluorimetric study of the binding of 1-Anilinonaphthalene-8-sulfonate to bovine serum albumin, 842
Cholinergic agents: Effect of methyl substitution in a series of arecoline derivatives on binding to muscarinic acetylcholine receptors, 1015
In vitro protein binding of propafenone and 5-hydroxypropafenone in serum, in solutions of isolated serum proteins, and to red blood cells, 1098
Bioavailability studies
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26
Fraction of the bioavailable dose remaining in the body at the time of peak plasma concentration in a linear, open, one-compartment model, 110
Bioavailability and nonlinear disposition of methylprednisolone and methylprednisone in the rat, 117
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155
Kinetics of aluminum in rats. III: Effect of route of administration, 160
Performance of a modified starch hydrophilic matrix for the sustained release of theophylline in healthy volunteers, 245
Analytical methods validation: Bioavailability, bioequivalence, and pharmacokinetics studies, 309
Variance components in comparative bioavailability studies, 315
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
Use of fluorometry in assessing the efficacy of a cation-sensitive gel as an ophthalmic vehicle: Comparison with scintigraphy, 615
Adaptive computer program for determination of absorption profiles by numerical deconvolution: Application to amoxicillin absorption, 802
Rate-limiting steps in oral absorption of a leucotriene D_4 antagonist in the beagle dog, 875
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904
Biopharmaceutics and clinical pharmacokinetics, 966
Pharmacokinetic analysis of maprotiline and its demethylated metabolite in serum and brain of rats after acute and chronic oral administration of maprotiline, 1032
Oral bioavailability of griseofulvin from aged griseofulvin:lipid coprecipitates: In vitvo studies in rats, 1166
Gastric emptying of tablets and granules in humans, dogs, pigs, and stomach-emptying-controlled rabbits, 1170
Biocompatability
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Bioequivalence studies
Analytical methods validation: Bioavailability, bioequivalence, and pharmacokinetics studies, 309
Biogenic amines
Chronic administration of the antidepressant-antipanic drug phenelzine and its N-acetylated analogue: Effects on monoamine oxidase, biogenic amines, α_2-adrenoreceptor function, 832
Biophase level predictor
Pharmacodynamic system analysis of the biophase level predictor and the transduction function, 925
Biotransformations
Biotransformations: A survey of the biotransformations of drugs and chemicals in animals, 848
Bishydroxyiminophosphonates
In vitro and in vivo anticalcification effects of novel bishydroxyiminophosphonates, 1004
2,6-Bis-(phenylmethylene)cyclohexanone
Synthesis and cytotoxic evaluation of some 6-arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes and related compounds, 1059
Bispyridinium analogues
Synthesis and anticholinesterase activity of new bispyridinium compounds, 1181
Bone marrow transplantation
Pharmacokinetics of cyclosporine in bone marrow transplantation: Longitudinal characterization of drug in lipoprotein fractions, 208
Book reviews
Bioorganic photochemistry, volume 1: Photochemistry and the nucleic acids, 112
Animal toxicity studies: Their relevance for man, 313
Clinical pharmacy and therapeutics, 313
Fluoroquinolones in the treatment of infectious diseases, 313
Natural products isolation, 314
Principles of behavioral pharmacology, 490
Early phase drug evaluation in man, 730
Textbook of radiopharmacy. Theory and Practice. Volume 3., 730
Biotransformations: A survey of the biotransformations of drugs and chemicals in animals, 848
Biopharmaceutics and clinical pharmacokinetics, 966
Breast milk
Measurement of haloperidol in human breast milk by high-performance liquid chromatography, 947
Bromazepam
Comparative study of interaction mode of diazepines with human serum albumin and α_1-acid glycoprotein, 16
Buprenorphine
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Butyric acid esters
Pharmacokinetic studies of *N*-butyric acid mono- and polyesters derived from monosaccharides, 241
Calcium
Role of intracellular Ca^{2+} on histamine release from rat peritoneal mast cells, 518
Calcium antagonists
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Photodegradation of nifedipine under aerobic conditions: Evidence of formation of singlet oxygen and radical intermediate, 399
Polarographic study of the photodecomposition of nimodipine, 920
Calcium channel blockers
Electroreduction in nifedipine, 191
Stability of diltiazem and its metabolites in human blood samples, 341
Calcium transport
Effects of verapamil, ouabain, and ethacrynic acid on calcium retention in perfused rat kidneys, 1178
Camptothecin
A kinetic and mechanistic study of the hydrolysis of camptothecin and some analogues, 676

Capacity factors
High-performance liquid chromatographic determination of the π Values of Azol-*N*-yl substituents, 577
Carbamate esters
Aminopyridine carbamic acid esters: Synthesis and potential as acetylcholinesterase inhibitors and acetylcholine releasers, 380
Carbamylcholine
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458
Carbamate esters and carbonate esters
Effects of structural variations on the rates of enzymatic and nonenzymatic hydrolysis of carbonate and carbamate esters, 295
Carbonic anhydrase inhibitors
Stability studies of topical carbonic anhydrase inhibitor 6-hydroxyethoxy-2-benzothiazole sulfonamide, 299
Carbonic anhydrase inhibitors. V: Pyrylium salts in the synthesis of isozyme-specific inhibitors, 716
Carbon tetrachloride
Pharmacokinetics of diazepam in the rat: Influence of a carbon tetrachloride-induced hepatic injury, 768
Carcinogens
Binary combination effects of some pharmacologically active chemicals as promoters of tumorigenesis, 403
Cardiodepressive agents
Cholinomimetic compound distinct from caffeine contained in coffee. II: Muscarinic actions, 449
Carmustine
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197
Catecholomines
Quantitative prediction of transdermal iontophoretic delivery of arbutamine in humans with the in vitro isolated perfused porcine skin flap, 504
Cefazolin
Effect of gastrointestinal maturation on absorption of β-lactam antibiotics, 337
Ceftibuten
Determination of a cephalosporin antibiotic, ceftibuten, in human plasma with column-switching high-performance liquid chromatography with ultraviolet detection, 663
Cellular interactions
Modulation of the effector functions of cytolytic T-lymphocytes with synthetic peptide inhibitors of protein kinases, 37
Cephalexin
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Cephalosporin
Determination of a cephalosporin antibiotic, ceftibuten, in human plasma with column-switching high-performance liquid chromatography with ultraviolet detection, 663
Lipidic peptides. V: Penicillin and cephalosporin acid conjugates with increased lipophilic character, 845
Cephapirin
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Cephradine
Effect of gastrointestinal maturation on absorption of β-lactam antibiotics, 337
Ceramides
Enhancement of percutaneous absorption by laurocapram, 762 and 1233
Cetylpyridinium chloride
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Charcoal
Reversible adsorption of nicotinic acid onto charcoal in vitro, 917
Chelating agents
Crystal structures of a new oral iron chelator, 1,2-dimethyl-3-hydroxy-4-pyridone, and its solvates with acetic acid and formic acid, 353
Chemical carcinogenesis
Binary combination effects of some pharmacologically active chemicals as promoters of tumorigenesis, 403
Chemical interactions
Binary combination effects of some pharmacologically active chemicals as promoters of tumorigenesis, 403
Chiral drugs
Stereochemical considerations in pharmacodynamic modeling of chiral drugs, 199
Chiral inversion
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Chloramine-T
Kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 652
Structure–activity considerations in kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 657
Chlorhexidine diacetate
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Chlorine exchange
Kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 652
Structure–activity considerations in kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 657
Chloroquine
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500
Cholanes
Effect of basic cholane derivatives on intestinal cholic acid metabolism: In vitro and in vivo activity, 237
Basic cholane derivatives. XI: Comparison between acid and basic derivatives, 726
Cholesterol
Hydroxypropylcyclodextrins in parenteral use. II: Effects on transport and disposition of lipids in rabbit and humans, 524
Enhancement of percutaneous absorption by laurocapram, 762 and 1233
Cholestyramine
Polymeric sorbents for bile acids. I: Comparison between cholestyramine and colestipol, 65
Cholic acid
Effect of basic cholane derivatives on intestinal cholic acid metabolism: In vitro and in vivo activity, 237
Choline
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458
Cholinergic agents
Cholinergic agents: Effect of methyl substitution in a series of arecoline derivatives on binding to muscarinic acetylcholine receptors, 1015
Cholinomimetic compounds
Cholinomimetic compound distinct from caffeine contained in coffee. II: Muscarinic actions, 449
Chromatographic studies
Determination of fenoverine, a modulator of smooth muscle motility, in capsules and in human plasma: Application to dosage form stability and a pilot study in humans, 91
Simple gas chromatographic headspace analysis of residual organic solvent in microspheres, 201
Separation of quantitation of polyethylene glycols 400 and 3350 from human urine by high-performance liquid chromatography, 350
High-performance liquid chromatographic analysis of docusate sodium in soft gelatin capsules, 359
Identification of 5-ethyl-5-(2-methylbutyl)barbituric acid as an impurity of manufacture in amobarbital, 362
Improved high-performance liquid chromatographic determination of khellin and visnagin in *Ammi visnaga* fruits and pharmaceutical formulations, 475
High-performance liquid chromatography method for determination of ronactolol in urine and plasma: Evaluation of pharmacokinetic parameters in healthy humans, 556
External-standard high-performance liquid chromatographic method for quantitative determination of furosemide in plasma by using solid-phase extraction and on-line elution, 569
High-performance liquid chromatographic determination of the π Values of Azol-*N*-yl substituents, 577
Characterization of a synthetic peptide impurity by fast-atom bombardment–tandem mass spectrometry and gas chromatography--mass spectrometry, 597
Determination of a cephalosporin antibiotic, ceftibuten, in human plasma with column-switching high-performance liquid chromatography with ultraviolet detection, 663
A high-performance liquid chromatographic assay for dideoxyinosine in monkey plasma and urine, 690
High-performance frontal analysis–high-performance liquid chromatographic system for stereoselective determination of unbound ketoprofen enantiomers in plasma after direct sample injection, 710

Partition behavior of anilines in bulk-phase and high-performance liquid chromatographic systems: Influence on correlation with biological constants, 720
Measurement of haloperidol in human breast milk by high-performance liquid chromatography, 947
Determination of pivaloylcarnitine in human plasma and urine by high-performance liquid chromatography with fluorescence detection, 1038
Pharmacokinetic profile of glycyrrhizin in healthy volunteers by a new high-performance liquid chromatographic method, 1042
A thin-layer chromatographic method to determine process impurities in leucovorin calcium, 1204
Liquid chromatographic determination of oxytetracycline in bovine plasma by double-phase extraction, 1216
Direct-injection high-performance liquid chromatographic analysis of drug enantiomers in plasma with an avidin column coupled on-line to an ovomucoid column, 1227

Cigarette smoke
Influences of exposure to cigarette smoke on concentration of nicorandil in plasma of rats, 228
Effects of exposure to standard- and nicotine-reduced-cigarette smoke on pharmacokinetics of theophylline and cimetidine in rats, 1132

Cimetidine
An algorithm for constrained deconvolution based on reparameterization, 175
Effects of exposure to standard- and nicotine-reduced-cigarette smoke on pharmacokinetics of theophylline and cimetidine in rats, 1132

Ciwujianosides
Ciwujianosides D_1 and C_1: Powerful inhibitors of histamine release induced by anti-immunoglobulin E from rat peritoneal mast cells, 661

Clinical studies
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26
Pharmaceutical evaluation of ibuprofen fast-absorbed syrup containing low-molecular-weight gelatin, 141
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155
An algorithm for constrained deconvolution based on reparameterization, 175
Influence of age-dependent pharmacokinetics and metabolism on acetaminophen hepatotoxicity, 203
Pharmacokinetics of cyclosporine in bone marrow transplantation: Longitudinal characterization of drug in lipoprotein fractions, 208
Effect of nasolacrimal occlusion on timolol concentrations in the aqueous humor of the human eye, 219
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Performance of a modified starch hydrophilic matrix for the sustained release of theophylline in healthy volunteers, 245
Clinical pharmacy and therapeutics, 313
Stability of diltiazem and its metabolites in human blood samples, 341
Separation of quantitation of polyethylene glycols 400 and 3350 from human urine by high-performance liquid chromatography, 350
Hydroxypropylcyclodextrins in parenteral use. II: Effects on transport and disposition of lipids in rabbit and humans, 524
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
High-performance liquid chromatography method for determination of ronactolol in urine and plasma: Evaluation of pharmacokinetic parameters in healthy humans, 556
Use of fluorometry in assessing the efficacy of a cation-sensitive gel as an ophthalmic vehicle: Comparison with scintigraphy, 615
Early phase drug evaluation in man, 730
Stereoselective urinary pharmacokinetics of *dl-threo*-methylphenidate and its major metabolite in humans, 747
Steady-state pharmacokinetics of haloperidol and reduced haloperidol in schizophrenic patients: Analysis of factors determining their concentrations in hair, 1008
Application of pharmacokinetic model with multiple enterohepatic cycles to a new inotropic drug after infusion and oral administration, 1020
Determination of pivaloylcarnitine in human plasma and urine by high-performance liquid chromatography with fluorescence detection, 1038
Pharmacokinetic profile of glycyrrhizin in healthy volunteers by a new high-performance liquid chromatographic method, 1042
Radioimmunoassays for a new angiotensin-converting enzyme inhibitor, zabicipril, and its active metabolite, zabiciprilat, in human plasma, 1065
Gastric emptying of tablets and granules in humans, dogs, pigs, and stomach-emptying-controlled rabbits, 1170
Pharmacokinetics of moxisylyte in healthy volunteers after intravenous and oral administration, 1223

Codeine
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551

Coffee
Cholinomimetic compound distinct from caffeine contained in coffee. II: Muscarinic actions, 449

Colchicine
Effects of cytochalasin, colchicine, and ethylenediaminetetraacetic acid on linoleic acid transport across rat jejunal enterocytes, 441

Colestipol
Polymeric sorbents for bile acids. I: Comparison between cholestyramine and colestipol, 65

Communications
Evaluation of methods for estimating the rate constant for a one-compartment absorption model when absorption and elimination rate constants are equal, 401

Computer programs
Adaptive computer program for determination of absorption profiles by numerical deconvolution: Application to amoxicillin absorption, 802

Concanavalin A
Concanavalin A microspheres for a self-regulating insulin delivery system, 532

Conference reports
Analytical methods validation: Bioavailability, bioequivalence, and pharmacokinetics studies, 309
Opportunities for integration of pharmacokinetics, pharmacodynamics, and toxicokinetics in rational drug development, 605
Principles and criteria in the development and optimization of topical therapeutic products, 1051

Controlled release
Examination of self-crosslinked gelatin as a hydrogel for controlled release, 85
Modeling of the kinetics of drug release from a binary system, 318
Pharmacokinetics and pharmacodynamics in the design of controlled-release beads with acetaminophen as model drug, 444
Effect of surfactants on release of a highly water-soluble medicinal compound from an inert, heterogeneous matrix, 453
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529

Copper
Vanadium and copper in clinical solutions of albumin and their potential to damage protein structure, 611

Corrections and additions
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 314

Corticosteroids
Bioavailability and nonlinear disposition of methylprednisolone and methylprednisone in the rat, 117

Cortisone
Effect of gastrointestinal maturation on absorption of β-lactam antibiotics, 337

Crosslinking
Examination of self-crosslinked gelatin as a hydrogel for controlled release, 85

Crystallographic studies
Structural study of benzidamine salicylate in the solid state and in solution, 94
Crystal structures of a new oral iron chelator, 1,2-dimethyl-3-hydroxy-4-pyridone, and its solvates with acetic acid and formic acid, 353

Cyclodextrins
Improvements in solubility and stability of thalidomide upon complexation with hydroxypropyl-β-cylodextrin, 685
Complexation of steroid hormones with cyclodextrin derivatives: Substituent effects of the guest molecule on solubility and stability in aqueous solution, 756
Prominent inclusion effect of dimethyl-β-cyclodextrin on photoisomerization of the thromboxane synthetase inhibitor (*E*)-4-(1-imidazoylmethyl)cinnamic acid, 817
Acid-catalyzed hydrolysis of maltosyl-β-cyclodextrin, 913
Enhanced rectal absorption and reduced local irritation of the anti-inflammatory drug ethyl 4-biphenylylacetate in rats by complexation with water-soluble β-cyclodextrine derivatives and formulation as oleginous suppository, 1119
Molecular modeling of β-Cyclodextrin complexes with nootropic drugs, 1157

Proton nuclear magnetic resonance spectroscopy studies of the inclusion complex of piroxicam with β-cyclodextrin, 1162
Cyclosporine
Pharmacokinetics of cyclosporine in bone marrow transplantation: Longitudinal characterization of drug in lipoprotein fractions, 208
Pharmacokinetic model for subcutaneous absorption of cyclosporine in the rabbit during chronic treatment, 491
Cysteine
Role of sulfhydryl-containing agents in the healing of erosive gastritis and chronic gastric ulceration in the rat, 70
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Cytochalasin
Effects of cytochalasin, colchicine, and ethylenediaminetetraacetic acid on linoleic acid transport across rat jejunal enterocytes, 441
Cytotoxic agents
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458
Cytotoxicity
Synthesis and cytotoxic evaluation of some 6-arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes and related compounds, 1059
Evaluation of cytotoxicity of some mannich bases of various aryl and arylidene ketones and their corresponding arylhydrazones, 1147
1-Decanol
Enhancement of propranolol hydrochloride and diazepam skin absorption in vitro. II: Drug, vehicle, and enhancer penetration kinetics, 330
Deconvolution techniques
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155
An algorithm for constrained deconvolution based on reparameterization, 175
Degradation impurities
Autoxidation of tetrazepam in tablets: Prediction of degradation impurities from the oxidative behavior in solution, 183
Dehydroabietic acid
Preparation of potential anti-inflammatory agents from dehydroabietic acid, 646
Desmopressin
Effects on enzymatic inhibition and increased paracellular shunting on transport of vasopressin analogues in the rat, 640
Dexamethasone
Liposomes containing fluorinated steroids: An analysis based on photon correlation and fluorine-19 nuclear magnetic resonance spectroscopy, 249
Dextrans
Molecular weight-dependent pharmacokinetics of fluorescein-labeled dextrans in rats, 908
Dextromethorphan
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Nasal delivery of [^{14}C]dextromethorphan hydrochloride in rats: Levels in plasma and brain, 750
1,8-Diaza-2,9,10-anthracenetriones
Synthesis and biological activity of new 1,8-diaza-2,9,10-anthracenetrione derivatives, 815
Diazepam
Comparative study of interaction mode of diazepines with human serum albumin and α_1-acid glycoprotein, 16
Enhancement of propranolol hydrochloride and diazepam skin absorption in vitro. II: Drug, vehicle, and enhancer penetration kinetics, 330
Pharmacokinetics of diazepam in the rat: Influence of a carbon tetrachloride-induced hepatic injury, 768
Simultaneous determination of otilonium bromide and diazepam by first-derivative spectroscopy, 1175
Diazepines
Comparative study of interaction mode of diazepines with human serum albumin and α_1-acid glycoprotein, 16
Dideoxyinosine
A high-performance liquid chromatographic assay for dideoxyinosine in monkey plasma and urine, 690
DIDS
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Transport of drugs through human erythrocyte membranes: pH dependence of drug transport through labeled human erythrocytes in the presence of band 3 protein inhibitor, 428
Dielectric constant
Influence of dielectric constant on sedimentation rate of concentrated suspensions of aluminum and magnesium hydroxides, 787
Differential scanning calorimetry
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Structural study of benzidamine salicylate in the solid state and in solution, 94
Isolation and solid-state characteristics of a new crystal form of indomethacin, 572
Characterization of polymorphs and solvates of 3-amino-1-(*m*-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one, 836
Diffusion
Mechanism of diffusion on monosubstituted benzoic acids through ethylene-vinyl acetate copolymers, 79
22,23-Dihydroavermectin B_{1a}
Radical-induced oxidation of oxahydrindene (hexahydrobenzofuran) portion of 22,23-dihydroavermectin B_{1a}: Identification of autooxidation products, 1000
Dihydropyridines
Polarographic study of the photodecomposition of nimodipine, 920
Diltiazem
Stability of diltiazem and its metabolites in human blood samples, 341
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Dimethyl sulfoxide
Stimulation of healing by free radical scavengers of ischemia-induced acute gastric mucosal injury in the rat, 1095
Dimiristoyl phosphatidylcholine
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Diphenhydramine hydrochloride
Solid-state structure of orphenadrine hydrochloride and conformational comparisons with diphenhydramine hydrochloride and nefopam hydrochloride, 858
Diprenorphine
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Distribution rate parameters
A method for calculating the mean transit times and distribution rate parameters of metabolites without separate intravenous administration of metabolite, 488
Diuretics
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
External-standard high-performance liquid chromatographic method for quantitative determination of furosemide in plasma by using solid-phase extraction and on-line elution, 569
Stereoselective pharmacokinetics of a novel uricosuric antihypertensive diuretics in rats: Pharmacokinetics interaction between enantiomers, 935
Utility of fourier transform-raman and fourier transfomr–infrared diffuse reflectance spectroscopy for differentiation of polymorphic spironolactone samples, 1141
Docusate sodium
High-performance liquid chromatographic analysis of docusate sodium in soft gelatin capsules, 359
Dosage form design
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 11 and 314
Mechanism of skin penetration-enhancing effect by laurocapram (Azone), 58
Determination of fenoverine, a modulator of smooth muscle motility, in capsules and in human plasma: Application to dosage form stability and a pilot study in humans, 91
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104
Utilization of peptide carrier system to improve intestinal absorption: Targeting prolidase as a prodrug-converting enzyme, 113
Zinc(II) in saliva: Determination of concentrations produced by different formulations of zinc gluconate lozenges containing common excipients, 128
Dyphylline liposomes for delivery to the skin, 131
Hollow microspheres for use as a floating controlled drug delivery system in the stomach, 135

Pharmaceutical evaluation of ibuprofen fast-absorbed syrup containing low-molecular-weight gelatin, 141
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Liposomes containing fluorinated steroids: An analysis based on photon correlation and fluorine-19 nuclear magnetic resonance spectroscopy, 249
Dissolution of fludrocortisone from phospholipids coprecipitates, 282
Punch geometry and formulation considerations in reducing tablet friability and their effect on in vitro dissolution, 290
Variance components in comparative bioavailability studies, 315
Modeling of the kinetics of drug release from a binary system, 318
High-performance liquid chromatographic analysis of docusate sodium in soft gelatin capsules, 359
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413
Pharmacokinetics and pharmacodynamics in the design of controlled-release beads with acetaminophen as model drug, 444
Effect of surfactants on release of a highly water-soluble medicinal compound from an inert, heterogeneous matrix, 453
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500
Hydroxypropylcyclodextrins in parenteral use. I: Lipid Dissolution and effects on lipid transfers in vitro, 521
Hydroxypropylcyclodextrins in parenteral use. II: Effects on transport and disposition of lipids in rabbit and humans, 524
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
Biological activity of urease formulated in poloxamer 407 after intraperitoneal injection in the rat, 626
Peptide stability in drug development: A comparison of peptide reactivity in different biological media, 731
Pulmonary deposition of inhaled terbutaline: Comparison of scanning gamma camera and urinary excretion methods, 753
In vitro and in vivo release of poly(DL-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
Lecithin organogel as matrix for transdermal transport of drugs, 871
Preparation of neurotensin analogue-containing poly(*dl*-lactic acid) microspheres formed by oil-in-water solvent evaporation, 899
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904
Formation of a tablet: A site of bond percolation phenomenon, 976
Effect of impurities on estradiol crystallization in a sustained-release, 1012
Principles and criteria in the development and optimization of topical therapeutic products, 1051
Enhanced rectal absorption and reduced local irritation of the anti-inflammatory drug ethyl 4-biphenylylacetate in rats by complexation with water-soluble β-cyclodextrine derivatives and formulation as oleaginous suppository, 1119
In vitro release of nitroglycerin from topical products by use of artificial membranes, 1153
Structural properties of polyethylene glycol: Polysorbate 80 mixture, a solid dispersion vehicle, 1185

Dose proportionality
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26

Dosing regimens
Two steady-state pharmacokinetic parameters: Peak-to-trough drug concentration ratio and time of occurrence of time-averaged concentration, 108

Drug administration routes
Drug delivery via the mucous membranes of the oral cavity, 1
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26
Kinetics of aluminum in rats. III: Effect of route of administration, 160
Absorption of acetylsalicylic acid from the rat nasal cavity, 348
Nasal delivery of [^{14}C]dextromethorphan hydrochloride in rats: Levels in plasma and brain, 750
Application of pharmacokinetic model with multiple enterohepatic cycles to a new inotropic drug after infusion and oral administration, 1020
Nicotine absorption after pulmonary instillation, 1055
Enhanced rectal absorption and reduced local irritation of the anti-inflammatory drug ethyl 4-biphenylylacetate in rats by complexation with water-soluble β-cyclodextrine derivatives and formulation as oleaginous suppository, 1119
Oral bioavailability of griseofulvin from aged griseofulvin:lipid coprecipitates: In vitvo studies in rats, 1166

Drug analysis
Determination of fenoverine, a modulator of smooth muscle motility, in capsules and in human plasma: Application to dosage form stability and a pilot study in humans, 91
Zinc(II) in saliva: Determination of concentrations produced by different formulations of zinc gluconate lozenges containing common excipients, 128
Electroreduction in nifedipine, 191
First-derivative spectroscopic determination of binding characteristics of rifampicin to human albumin and serum, 287
Analytical methods validation: Bioavailability, bioequivalence, and pharmacokinetics studies, 309
Natural products isolation, 314
Identification of 5-ethyl-5-(2-methylbutyl)barbituric acid as an impurity of manufacture in amobarbital, 362
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Improved high-performance liquid chromatographic determination of khellin and visnagin in *Ammi visnaga* fruits and pharmaceutical formulations, 475
High-performance liquid chromatography method for determination of ronactolol in urine and plasma: Evaluation of pharmacokinetic parameters in healthy humans, 556
Quinidine as a muscarinic antagonist: A structural approach, 559
External-standard high-performance liquid chromatographic method for quantitative determination of furosemide in plasma by using solid-phase extraction and on-line elution, 569
Determination of a cephalosporin antibiotic, ceftibuten, in human plasma with column-switching high-performance liquid chromatography with ultraviolet detection, 663
A high-performance liquid chromatographic assay for dideoxyinosine in monkey plasma and urine, 690
Pulmonary deposition of inhaled terbutaline: Comparison of scanning gamma camera and urinary excretion methods, 753
Identification of the major degradation products of 4-methoxy-2-(3-phenyl-2-propynyl)phenol formed by exposure to air and light, 812
Gradient polyacrylamide gel electrophoresis (PAGE) for determination of molecular weights of heparin preparations and low-molecular-weight heparin derivatives, 823
Simultaneous spectrophotometric determination in solid phase of aspirin and its impurity salicylic acid in pharmaceutical formulations, 895
Measurement of haloperidol in human breast milk by high-performance liquid chromatography, 947
Steady-state pharmacokinetics of haloperidol and reduced haloperidol in schizophrenic patients: Analysis of factors determining their concentrations in hair, 1008
Determination of pivaloylcarnitine in human plasma and urine by high-performance liquid chromatography with fluorescence detection, 1038
Pharmacokinetic profile of glycyrrhizin in healthy volunteers by a new high-performance liquid chromatographic method, 1042
Synthesis and characterization of quaternary ammonium-linked glucuronide metabolites of drugs with an aliphatic tertiary amine group, 1079
Utility of fourier transform-raman and fourier transfomr–infrared diffuse reflectance spectroscopy for differentiation of polymorphic spironolactone samples, 1141
Simultaneous determination of otilonium bromide and diazepam by first-derivative spectroscopy, 1175
Liquid chromatographic determination of oxytetracycline in bovine plasma by double-phase extraction, 1216
Direct-injection high-performance liquid chromatographic analysis of drug enantiomers in plasma with an avidin column coupled on-line to an ovomucoid column, 1227

Drug delivery systems
Drug delivery via the mucous membranes of the oral cavity, 1
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 11
Mechanism of diffusion on monosubstituted benzoic acids through ethylene-vinyl acetate copolymers, 79
Utilization of peptide carrier system to improve intestinal absorption: Targeting prolidase as a prodrug-converting enzyme, 113
Dyphylline liposomes for delivery to the skin, 131
Hollow microspheres for use as a floating controlled drug delivery system in the stomach, 135
Performance of a modified starch hydrophilic matrix for the sustained release of theophylline in healthy volunteers, 245
Modeling of the kinetics of drug release from a binary system, 318

Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529
Concanavalin A microspheres for a self-regulating insulin delivery system, 532
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Use of fluorometry in assessing the efficacy of a cation-sensitive gel as an ophthalmic vehicle: Comparison with scintigraphy, 615
Biological activity of urease formulated in poloxamer 407 after intraperitoneal injection in the rat, 626
Studies of in vitro skin permeation and retention of a leukotriene antagonist from topical vehicles with a hairless guinea pig model, 631
A theoretical analysis of a new drug delivery system: A cylindrical device with a vertical opening on its surface, 866
Preparation of neurotensin analogue-containing poly(*dl*-lactic acid) microspheres formed by oil-in-water solvent evaporation, 899
Molecular weight-dependent pharmacokinetics of fluorescein-labeled dextrans in rats, 908
Relationship of film properties to drug release from monolithic films containing adjuvants, 983
Transdermal drug delivery systems of albuterol: In vitro and in vivo studies, 996
Structural properties of polyethylene glycol: Polysorbate 80 mixture, a solid dispersion vehicle, 1185

Drug design
Opportunities for integration of pharmacokinetics, pharmacodynamics, and toxicokinetics in rational drug development, 605

Drug disposition
Bioavailability and nonlinear disposition of methylprednisolone and methylprednisone in the rat, 117
Kinetics of aluminum in rats. III: Effect of route of administration, 160
Propranolol disposition in the rat: Variation in hepatic extraction with unbound drug fraction, 255
Disposition of 8-methyl-8-azabicyclo[3,2,1]octan-3-yl 3,5-dichlorobenzoate, a potent 5-hydroxytryptamine antagonist, and two metabolites in dogs and monkeys, 345
Physiological modeling of disposition of potential tumor-imaging radiopharmaceuticals in tumor-bearing mice, 408
Drug and vehicle deposition from topical applications: Use of in vitro mass balance technique with minoxidil solutions, 736
Nasal delivery of [^{14}C]dextromethorphan hydrochloride in rats: Levels in plasma and brain, 750
A time hierarchy-based model for kinetics of drug disposition and its use in quantitative structure–activity relationships, 849
Disposition of a new diacid angiotension-converting enzyme inhibitor after intravenous administration of drug or prodrug to monkeys and dogs, 1071
Pharmacokinetic characterization and tissue distribution of the new glucocorticoid soft drug loteprednol etabonate in rats and dogs, 1210

Drug dissolution
Use of fractal geometry to determine effects of surface morphology on drug dissolution, 54
Dissolution of fludrocortisone from phospholipids coprecipitates, 282
Punch geometry and formulation considerations in reducing tablet friability and their effect on in vitro dissolution, 290
Influence of in vitro test conditions on release of aspirin from commercial tablets, 386
Solubilization and dissolution properties of a leucotriene-D_4 antagonist in micellar solutions, 483
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Rate-limiting steps in oral absorption of a leucotriene D_4 antagonist in the beagle dog, 875
Transdermal drug delivery systems of albuterol: In vitro and in vivo studies, 996
Oral bioavailability of griseofulvin from aged griseofulvin:lipid coprecipitates: In vitvo studies in rats, 1166

Drug elimination
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
Effects of chronic ethanol ingestion on tissue elimination-phase kinetics of procainamide in rats, 940

Drug–emulsion interactions
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413

Drug evaluation
Early phase drug evaluation in man, 730

Drug interactions
Comparative study of interaction mode of diazepines with human serum albumin and α_1-acid glycoprotein, 16
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Misoprostol dehydration kinetics in aqueous solution in the presence of hydroxypropyl methylcellulose, 145
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
Prominent inclusion effect of dimethyl-β-cyclodextrin on photoisomerization of the thromboxane synthetase inhibitor (*E*)-4-(1-imidazoylmethyl)cinnamic acid, 817
Lipidic peptides. V: Penicillin and cephalosporin acid conjugates with increased lipophilic character, 845
Stereoselective pharmacokinetics of a novel uricosuric antihypertensive diuretics in rats: Pharmacokinetics interaction between enantiomers, 935

Drug metabolism and distribution
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 11 and 314
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26
Effect of sexual steroid hormones on spiramycin disposition in genital tract secretions of the ewe, 33
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
Influence of age-dependent pharmacokinetics and metabolism on acetaminophen hepatotoxicity, 203
Pharmacokinetics of cyclosporine in bone marrow transplantation: Longitudinal characterization of drug in lipoprotein fractions, 208
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
Stereoselective hydrolysis of *O*-acetyl propranolol as prodrugs in rat tissue homogenates, 226
Propranolol disposition in the rat: Variation in hepatic extraction with unbound drug fraction, 255
Experimental studies of transient mass transfer and reaction in the liver: Interpretation with a heterogeneous compartment model, 265
First-derivative spectroscopic determination of binding characteristics of rifampicin to human albumin and serum, 287
Effects of structural variations on the rates of enzymatic and nonenzymatic hydrolysis of carbonate and carbamate esters, 295
Stability of diltiazem and its metabolites in human blood samples, 341
Disposition of 8-methyl-8-azabicyclo[3,2,1]octan-3-yl 3,5-dichlorobenzoate, a potent 5-hydroxytryptamine antagonist, and two metabolites in dogs and monkeys, 345
A method for calculating the mean transit times and distribution rate parameters of metabolites without separate intravenous administration of metabolite, 488
Degradation kinetics and mechanisms of moricizine hydrochloride in acidic medium, 586
Pharmacokinetic implications of changing blood flow in skin, 601
Metabolism and distribution of 1-[^{14}C]alprazolam in rats, 797
Biotransformations: A survey of the biotransformations of drugs and chemicals in animals, 848
A time hierarchy-based model for kinetics of drug disposition and its use in quantitative structure–activity relationships, 849
Decomposition of α-hydroxyaryl ketones and characterization of some unusual products, 1199

Drug release
Examination of self-crosslinked gelatin as a hydrogel for controlled release, 85
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104
Dissolution of fludrocortisone from phospholipids coprecipitates, 282
Modeling of the kinetics of drug release from a binary system, 318
Influence of in vitro test conditions on release of aspirin from commercial tablets, 386
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413
Effect of surfactants on release of a highly water-soluble medicinal compound from an inert, heterogeneous matrix, 453
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529

Concanavalin A microspheres for a self-regulating insulin delivery system, 532
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
In vitro and in vivo release of poly(DL-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
A theoretical analysis of a new drug delivery system: A cylindrical device with a vertical opening on its surface, 866
Reversible adsorption of nicotinic acid onto charcoal in vitro, 917
Relationship of film properties to drug release from monolithic films containing adjuvants, 983
In vitro release of nitroglycerin from topical products by use of artificial membranes, 1153

Drug transport
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Transport of drugs through human erythrocyte membranes: pH dependence of drug transport through labeled human erythrocytes in the presence of band 3 protein inhibitor, 428
Factors affecting iontophoretic mobility of metoprolol, 670

Dyphylline
Dyphylline liposomes for delivery to the skin, 131

Elastase
Effects of structural variations on the rates of enzymatic and nonenzymatic hydrolysis of carbonate and carbamate esters, 295

Electrochemical studies
Electroreduction in nifedipine, 191
Electrochemical determination of partition coefficients of drugs, 970

Emulsions
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413
Physicochemical characterization of a model intravenous oil-in-water emulsion, 777

Enterocytes
Effects of cytochalasin, colchicine, and ethylenediaminetetraacetic acid on linoleic acid transport across rat jejunal enterocytes, 441

Enzyme studies
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Utilization of peptide carrier system to improve intestinal absorption: Targeting prolidase as a prodrug-converting enzyme, 113
Effects of structural variations on the rates of enzymatic and nonenzymatic hydrolysis of carbonate and carbamate esters, 295
Effects on enzymatic inhibition and increased paracellular shunting on transport of vasopressin analogues in the rat, 640
Isolation and biological evaluation of potential cancer chemopreventive agents from ambrette musk residue, 950

Erythrocytes
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
Chloride-37 nuclear magnetic resonance spectroscopic study of binding of salicylic acid and other hydroxybenzoic acids to the band 3 anion transport protein of human erythrocytes, 419
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Transport of drugs through human erythrocyte membranes: pH dependence of drug transport through labeled human erythrocytes in the presence of band 3 protein inhibitor, 428
In vitro protein binding of propafenone and 5-hydroxypropafenone in serum, in solutions of isolated serum proteins, and to red blood cells, 1098

Estradiol
Effect of impurities on estradiol crystallization in a sustained-release, 1012

Ethacrynic acid
Effects of verapamil, ouabain, and ethacrynic acid on calcium retention in perfused rat kidneys, 1178

Ethanol
Effects of chronic ethanol ingestion on tissue elimination-phase kinetics of procainamide in rats, 940
Use of scavenging oxygen-derived free radicals to protect the rat against aspirin- and ethanol-induced erosive gastritis, 943

Ethyl 4-biphenylylacetate
Enhanced rectal absorption and reduced local irritation of the anti-inflammatory drug ethyl 4-biphenylylacetate in rats by complexation with water-soluble β-cyclodextrine derivatives and formulation as oleaginous suppository, 1119

Ethylenediaminetetraacetic acid
Effects of cytochalasin, colchicine, and ethylenediaminetetraacetic acid on linoleic acid transport across rat jejunal enterocytes, 441

Ethylene-vinyl acetate copolymers
Mechanism of diffusion on monosubstituted benzoic acids through ethylene-vinyl acetate copolymers, 79

Etoposide
Factors affecting in vitro protein binding of etoposide in humans, 259

Etorphine
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551

Eudispert
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904

Eudragit
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904

Fatty acids
In vitro percutaneous absorption of thiamine disulfide from a mixture of propylene glycol and fatty acid, 744

Fenoverine
Determination of fenoverine, a modulator of smooth muscle motility, in capsules and in human plasma: Application to dosage form stability and a pilot study in humans, 91

Fludiazepam
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21

Fludrocortisone
Dissolution of fludrocortisone from phospholipids coprecipitates, 282

Flumethasone
Liposomes containing fluorinated steroids: An analysis based on photon correlation and fluorine-19 nuclear magnetic resonance spectroscopy, 249

Flunitrazepam
Comparative study of interaction mode of diazepines with human serum albumin and α_1-acid glycoprotein, 16

Fluorescein
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Use of fluorometry in assessing the efficacy of a cation-sensitive gel as an ophthalmic vehicle: Comparison with scintigraphy, 615
Molecular weight-dependent pharmacokinetics of fluorescein-labeled dextrans in rats, 908

Fluorescence
Spectrofluorimetric study of the binding of 1-Anilinonaphthalene-8-sulfonate to bovine serum albumin, 842
Determination of pivaloylcarnitine in human plasma and urine by high-performance liquid chromatography with fluorescence detection, 1038

Fluorometric studies
Use of fluorometry in assessing the efficacy of a cation-sensitive gel as an ophthalmic vehicle: Comparison with scintigraphy, 615

Fluoroquinolones
Fluoroquinolones in the treatment of infectious diseases, 313

Flurbioprofen
Variability of inversion of (*R*)-Flurbiprofen in different species, 888

Fractal geometry
Use of fractal geometry to determine effects of surface morphology on drug dissolution, 54

Fractional factorials
Statistical approaches to stability protocol design, 303

Free radicals
Photodegradation of nifedipine under aerobic conditions: Evidence of formation of singlet oxygen and radical intermediate, 399
Use of scavenging oxygen-derived free radicals to protect the rat against aspirin- and ethanol-induced erosive gastritis, 943
Radical-induced oxidation of oxahydrindene (hexahydrobenzofuran) portion of 22,23-dihydroavermectin B_{1a}: Identification of autooxidation products, 1000
Stimulation of healing by free radical scavengers of ischemia-induced acute gastric mucosal injury in the rat, 1095

Friability
Punch geometry and formulation considerations in reducing tablet friability and their effect on in vitro dissolution, 290

Furochromones
Improved high-performance liquid chromatographic determination of khellin and visnagin in *Ammi visnaga* fruits and pharmaceutical formulations, 475

Furosemide
External-standard high-performance liquid chromatographic method for quantitative determination of furosemide in plasma by using solid-phase extraction and on-line elution, 569
Gastrointestinal toxicity
Role of sulfhydryl-containing agents in the healing of erosive gastritis and chronic gastric ulceration in the rat, 70
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Protection against chronic gastric ulceration in the rat with sulfhydryl-containing agents, 698
Use of scavenging oxygen-derived free radicals to protect the rat against aspirin- and ethanol-induced erosive gastritis, 943
Stimulation of healing by free radical scavengers of ischemia-induced acute gastric mucosal injury in the rat, 1095
Gelatin
Examination of self-crosslinked gelatin as a hydrogel for controlled release, 85
Pharmaceutical evaluation of ibuprofen fast-absorbed syrup containing low-molecular-weight gelatin, 141
Gelrite
Use of fluorometry in assessing the efficacy of a cation-sensitive gel as an ophthalmic vehicle: Comparison with scintigraphy, 615
Gels
Examination of self-crosslinked gelatin as a hydrogel for controlled release, 85
Kinetics of swelling of polymers and their gels, 467
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Use of fluorometry in assessing the efficacy of a cation-sensitive gel as an ophthalmic vehicle: Comparison with scintigraphy, 615
Lecithin organogel as matrix for transdermal transport of drugs, 871
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904
Geometric factors
Effect of geometric factors on hydration kinetics of theophylline anhydrate tablets, 1189
α-Globulin
Uptake of fractionated [^{3}H]Heparin by rat parenchymal hepatocytes in primary culture: Effects of α-globulin, temperature, and pH, 513
Glucocorticoids
Pharmacokinetic characterization and tissue distribution of the new glucocorticoid soft drug loteprednol etabonate in rats and dogs, 1210
Glucose
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21
Concanavalin A microspheres for a self-regulating insulin delivery system, 532
Glucuronides
Synthesis and characterization of quaternary ammonium-linked glucuronide metabolites of drugs with an aliphatic tertiary amine group, 1079
Glutathione *S*-transferase
Isolation and biological evaluation of potential cancer chemopreventive agents from ambrette musk residue, 950
Glycyrrhizin
Pharmacokinetics of glycyrrhizin after intravenous administration to rats, 961
Pharmacokinetic profile of glycyrrhizin in healthy volunteers by a new high-performance liquid chromatographic method, 1042
Gradient polyacrylamide gel electrophoresis (PAGE)
Gradient polyacrylamide gel electrophoresis (PAGE) for determination of molecular weights of heparin preparations and low-molecular-weight heparin derivatives, 823
Granules
Gastric emptying of tablets and granules in humans, dogs, pigs, and stomach-emptying-controlled rabbits, 1170
Griseofulvin
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500
Griseofulvin:lipid coprecipitates
Oral bioavailability of griseofulvin from aged griseofulvin:lipid coprecipitates: In vitvo studies in rats, 1166
Hair
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
Steady-state pharmacokinetics of haloperidol and reduced haloperidol in schizophrenic patients: Analysis of factors determining their concentrations in hair, 1008
Haloperidol
Measurement of haloperidol in human breast milk by high-performance liquid chromatography, 947
Steady-state pharmacokinetics of haloperidol and reduced haloperidol in schizophrenic patients: Analysis of factors determining their concentrations in hair, 1008
Headspace analysis
Simple gas chromatographic headspace analysis of residual organic solvent in microspheres, 201
Heparin
Uptake of fractionated [^{3}H]Heparin by rat parenchymal hepatocytes in primary culture: Effects of α-globulin, temperature, and pH, 513
Gradient polyacrylamide gel electrophoresis (PAGE) for determination of molecular weights of heparin preparations and low-molecular-weight heparin derivatives, 823
Hepatocytes
Uptake of fractionated [^{3}H]Heparin by rat parenchymal hepatocytes in primary culture: Effects of α-globulin, temperature, and pH, 513
Heterocyclic compounds
Solvent effects on chemical processes. I: Solubility of aromatic and heterocyclic compounds in binary aqueous–organic solvents, 371
High-performance frontal analysis
High-performance frontal analysis–high-performance liquid chromatographic system for stereoselective determination of unbound ketoprofen enantiomers in plasma after direct sample injection, 710
Histamine
Role of intracellular Ca^{2+} on histamine release from rat peritoneal mast cells, 518
Ciwujianosides D_1 and C_1: Powerful inhibitors of histamine release induced by anti-immunoglobulin E from rat peritoneal mast cells, 661
Hormone studies
Effect of sexual steroid hormones on spiramycin disposition in genital tract secretions of the ewe, 33
Effect of iontophoresis on in vitro skin permeation of an analogue of growth hormone releasing factor in the hairless guinea pig model, 635
Complexation of steroid hormones with cyclodextrin derivatives: Substituent effects of the guest molecule on solubility and stability in aqueous solution, 756
Hydralazine
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
Hydrochlorothiazide
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
Hydrocortisones
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104
Hydrolysis
Effects of structural variations on the rates of enzymatic and nonenzymatic hydrolysis of carbonate and carbamate esters, 295
A kinetic and mechanistic study of the hydrolysis of camptothecin and some analogues, 676
Alkaline hydrolysis of oligomers of tartrate esters: Effect on a neighboring carboxyl on the reactivity of ester groups, 705
Acid-catalyzed hydrolysis of maltosyl-β-cyclodextrin, 913
Hydrophobicity
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Quantitative analyses of hydrophobicity of di- to pentapeptides having un-ionizable side chains with substituent and structural parameters, 164
High-performance liquid chromatographic determination of the π Values of Azol-*N*-yl substituents, 577
Hydrotalcites
Hydrotalcites as potential adsorbents of intestinal phosphate, 1139
Hydroxyapatite cement
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529
Hydroxybenzoic acids
Chloride-37 nuclear magnetic resonance spectroscopic study of binding of salicylic acid and other hydroxybenzoic acids to the band 3 anion transport protein of human erythrocytes, 419
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Hydroxychloroquine
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155
6-Hydroxyethoxy-2-benzothiazole sulfonamide
Stability studies of topical carbonic anhydrase inhibitor 6-hydroxyethoxy-2-benzothiazole sulfonamide, 299

Hydroxylamine hydrochloride
Synthesis and cytotoxic evaluation of some 6-arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes and related compounds, 1059
5-Hydroxypropafenone
In vitro protein binding of propafenone and 5-hydroxypropafenone in serum, in solutions of isolated serum proteins, and to red blood cells, 1098
Hydroxypropylcyclodextrins
Hydroxypropylcyclodextrins in parenteral use. I: Lipid Dissolution and effects on lipid transfers in vitro, 521
Hydroxypropylcyclodextrins in parenteral use. II: Effects on transport and disposition of lipids in rabbit and humans, 524
5-Hydroxytryptamine
New hybrids of quipazine and trazodone as selective inhibitors of uptake of 5-hydroxytryptamine, 99
5-Hydroxytryptamine antagonists
Disposition of 8-methyl-8-azabicyclo[3,2,1]octan-3-yl 3,5-dichlorobenzoate, a potent 5-hydroxytryptamine antagonist, and two metabolites in dogs and monkeys, 345
Hypolipidemic agents
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458
Hysteresis
Pharmacokinetic-pharmacodynamic modeling: Time-dependent protein binding—an alternative interpretation of clockwise and counterclockwise hysteresis, 232
Ibuprofen
Hollow microspheres for use as a floating controlled drug delivery system in the stomach, 135
Pharmaceutical evaluation of ibuprofen fast-absorbed syrup containing low-molecular-weight gelatin, 141
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Ibutilide
Racemization and intramolecular nucleophilic substitution reactions of ibutilide, 1028
Imaging
Physiological modeling of disposition of potential tumor-imaging radiopharmaceuticals in tumor-bearing mice, 408
Halogenated analogues of tamoxifen: Synthesis, receptor assay, and inhibition of MCF7 cells, 622
Imaging agents
Synthesis and receptor affinities of new 3-quinuclidinyl α-heteroaryl-α-aryl-α-hydroxyacetates, 326
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397
A critical evaluation of the present status of toxicity of aminoxyl radicals, 496
Immunosuppressive agents
Pharmacokinetic model for subcutaneous absorption of cyclosporine in the rabbit during chronic treatment, 491
Impurities
Identification of 5-ethyl-5-(2-methylbutyl)barbituric acid as an impurity of manufacture in amobarbital, 362
Effect of impurities on estradiol crystallization in a sustained-release, 1012
Inclusion complexes
Hydroxypropylcyclodextrins in parenteral use. I: Lipid Dissolution and effects on lipid transfers in vitro, 521
Hydroxypropylcyclodextrins in parenteral use. II: Effects on transport and disposition of lipids in rabbit and humans, 524
Complexation of steroid hormones with cyclodextrin derivatives: Substituent effects of the guest molecule on solubility and stability in aqueous solution, 756
Prominent inclusion effect of dimethyl-β-cyclodextrin on photoisomerization of the thromboxane synthetase inhibitor (*E*)-4-(1-imidazoylmethyl)cinnamic acid, 817
Molecular modeling of β-Cyclodextrin complexes with nootropic drugs, 1157
Proton nuclear magnetic resonance spectroscopy studies of the inclusion complex of piroxicam with β-cyclodextrin, 1162
Indomethacin
Enhancement of propranolol hydrochloride and diazepam skin absorption in vitro. II: Drug, vehicle, and enhancer penetration kinetics, 330
Isolation and solid-state characteristics of a new crystal form of indomethacin, 572
Inotropic drugs
Synthesis and inotropic activity of pyrazolol[4,3-*c*]pyridine-4-ones and related compounds, 581
Application of pharmacokinetic model with multiple enterohepatic cycles to a new inotropic drug after infusion and oral administration, 1020
Insulin
Concanavalin A microspheres for a self-regulating insulin delivery system, 532
Intermolecular interactions
Misoprostol dehydration kinetics in aqueous solution in the presence of hydroxypropyl methylcellulose, 145
Intestinal metabolism
Effect of basic cholane derivatives on intestinal cholic acid metabolism: In vitro and in vivo activity, 237
Intestinal transport
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Effects of cytochalasin, colchicine, and ethylenediaminetetraacetic acid on linoleic acid transport across rat jejunal enterocytes, 441
Effects on enzymatic inhibition and increased paracellular shunting on transport of vasopressin analogues in the rat, 640
In vitro–in vivo correlations
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104
Quantitative prediction of transdermal iontophoretic delivery of arbutamine in humans with the in vitro isolated perfused porcine skin flap, 504
Biotransformations: A survey of the biotransformations of drugs and chemicals in animals, 848
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904
Ionization constants
Acid–base properties of pristinamycin I_A and related compounds, 565
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Iontophoresis
Quantitative prediction of transdermal iontophoretic delivery of arbutamine in humans with the in vitro isolated perfused porcine skin flap, 504
Effect of iontophoresis on in vitro skin permeation of an analogue of growth hormone releasing factor in the hairless guinea pig model, 635
Factors affecting iontophoretic mobility of metoprolol, 670
Iron
Crystal structures of a new oral iron chelator, 1,2-dimethyl-3-hydroxy-4-pyridone, and its solvates with acetic acid and formic acid, 353
Vanadium and copper in clinical solutions of albumin and their potential to damage protein structure, 611
Isocarboxazide
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500
Isoelectric point
Molecular connectivity model for determination of isoelectric point of amino acids, 334
Isopropyl alcohol
Kinetics of transdermal penetration of an organic ion pair: Physostigmine salicylate, 990
Isopropyl myristate
Kinetics of transdermal penetration of an organic ion pair: Physostigmine salicylate, 990
Ketones
Synthesis and anti-inflammatory activity of fluorinated phenyl styryl ketones and *N*-phenyl-5-substituted aryl-3-*p*-(fluorophenyl) pyrazolins and pyrazoles, 892
Evaluation of cytotoxicity of some mannich bases of various aryl and arylidene ketones and their corresponding arylhydrazones, 1147
Ketoprofen
High-performance frontal analysis–high-performance liquid chromatographic system for stereoselective determination of unbound ketoprofen enantiomers in plasma after direct sample injection, 710
Khellin
Improved high-performance liquid chromatographic determination of khellin and visnagin in *Ammi visnaga* fruits and pharmaceutical formulations, 475
Kinetics
Misoprostol dehydration kinetics in aqueous solution in the presence of hydroxypropyl methylcellulose, 145

Kinetics of aluminum in rats. III: Effect of route of administration, 160
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197
Dissolution of fludrocortisone from phospholipids coprecipitates, 282
Modeling of the kinetics of drug release from a binary system, 318
Triazolines. XXI: Preformulation degradation kinetics and chemical stability of a novel triazoline anticonvulsant, 392
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Kinetics of swelling of polymers and their gels, 467
Degradation kinetics and mechanisms of moricizine hydrochloride in acidic medium, 586
Kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 652
Structure–activity considerations in kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 657
A kinetic and mechanistic study of the hydrolysis of camptothecin and some analogues, 676
Predicting the postconsolidation relaxation behavior of sodium chloride tablets, 701
Alkaline hydrolysis of oligomers of tartrate esters: Effect on a neighboring carboxyl on the reactivity of ester groups, 705
Peptide stability in drug development: A comparison of peptide reactivity in different biological media, 731
Acid-catalyzed hydrolysis of maltosyl-β-cyclodextrin, 913
Reversible adsorption of nicotinic acid onto charcoal in vitro, 917
Polarographic study of the photodecomposition of nimodipine, 920
Effects of chronic ethanol ingestion on tissue elimination-phase kinetics of procainamide in rats, 940
Kinetics of transdermal penetration of an organic ion pair: Physostigmine salicylate, 990
Racemization and intramolecular nucleophilic substitution reactions of ibutilide, 1028
Time-dependent distribution volume of kinetics of the pharmacodynamic effector site, 1136
Effect of geometric factors on hydration kinetics of theophylline anhydrate tablets, 1189

Lactams
Synthesis and inotropic activity of pyrazolol[4,3-c]pyridine-4-ones and related compounds, 581

Laurocapram
Mechanism of skin penetration-enhancing effect by laurocapram (Azone), 58
Enhancement of percutaneous absorption by laurocapram, 762 and 1233

Lecithin
Lecithin organogel as matrix for transdermal transport of drugs, 871

Leucotriene
Solubilization and dissolution properties of a leucotriene-D_4 antagonist in micellar solutions, 483
Rate-limiting steps in oral absorption of a leucotriene D_4 antagonist in the beagle dog, 875
Studies of in vitro skin permeation and retention of a leukotriene antagonist from topical vehicles with a hairless guinea pig model, 631

Leucovorin calcium
A thin-layer chromatographic method to determine process impurities in leucovorin calcium, 1204

Licorice
Pharmacokinetics of glycyrrhizin after intravenous administration to rats, 961

Lidocaine
Experimental studies of transient mass transfer and reaction in the liver: Interpretation with a heterogeneous compartment model, 265

Linoleic acid
Effects of cytochalasin, colchicine, and ethylenediaminetetraacetic acid on linoleic acid transport across rat jejunal enterocytes, 441

Lipidic peptides
Lipidic peptides. V: Penicillin and cephalosporin acid conjugates with increased lipophilic character, 845

Lipids
Hydroxypropylcyclodextrins in parenteral use. I: Lipid Dissolution and effects on lipid transfers in vitro, 521
Hydroxypropylcyclodextrins in parenteral use. II: Effects on transport and disposition of lipids in rabbit and humans, 524

Lipoproteins
Pharmacokinetics of cyclosporine in bone marrow transplantation: Longitudinal characterization of drug in lipoprotein fractions, 208

Liposomes
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Dyphylline liposomes for delivery to the skin, 131
Liposomes containing fluorinated steroids: An analysis based on photon correlation and fluorine-19 nuclear magnetic resonance spectroscopy, 249
Bulk organic solvent–water systems as a possible model to predict alkyl *p*-aminobenzoate partitioning in liposomes, 1104

Lomustine
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197

Loteprednol etabonate
Pharmacokinetic characterization and tissue distribution of the new glucocorticoid soft drug loteprednol etabonate in rats and dogs, 1210

Lubrication properties
Physical and lubrication properties of magnesium sterate, 1194

Macromolecular drugs
Uptake of fractionated [^{3}H]Heparin by rat parenchymal hepatocytes in primary culture: Effects of α-globulin, temperature, and pH, 513

Magnesium hydroxide
Influence of dielectric constant on sedimentation rate of concentrated suspensions of aluminum and magnesium hydroxides, 787

Magnesium stearate
Physical and lubrication properties of magnesium stearate, 1194

Major histocompatability complex
Peptide stability in drug development: A comparison of peptide reactivity in different biological media, 731

Mannich bases
Anticonvulsant properties of some mannich bases of conjugated arylidene ketones, 436
Synthesis of mannich bases of arylidenepyridazinones as analgesic agents, 1084
Evaluation of cytotoxicity of some mannich bases of various aryl and arylidene ketones and their corresponding arylhydrazones, 1147

Manufacturing impurities
A thin-layer chromatographic method to determine process impurities in leucovorin calcium, 1204

Maprotiline
Pharmacokinetic analysis of maprotiline and its demethylated metabolite in serum and brain of rats after acute and chronic oral administration of maprotiline, 1032

Mass balance
Evaluation of the mass balance assumption with respect to the two-resistance model of intestinal absorption by using in situ single-pass intestinal perfusion of theophylline in rats, 321
Drug and vehicle deposition from topical applications: Use of in vitro mass balance technique with minoxidil solutions, 736

Mass transfer
Experimental studies of transient mass transfer and reaction in the liver: Interpretation with a heterogeneous compartment model, 265

Matrixes
Effect of surfactants on release of a highly water-soluble medicinal compound from an inert, heterogeneous matrix, 453
Lecithin organogel as matrix for transdermal transport of drugs, 871

Mean transit times
A method for calculating the mean transit times and distribution rate parameters of metabolites without separate intravenous administration of metabolite, 488

Medazepam

Melanin
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45

Membrane permeation
In vitro release of nitroglycerin from topical products by use of artificial membranes, 1153

Meperidine
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551

2-Mercapto-3-(*N*-aryl)pyrimido[5,4-*c*]cinnolin-4-(3*H*)-ones
Synthesis and antimicrobial and anti-inflammatory activities of substituted 2-mercapto-3-(*N*-aryl)pyrimido[5,4-*c*]cinnolin-4-(3*H*)-ones, 365

Methadone
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551

Methionine methylsulfonium chloride
Role of sulfhydryl-containing agents in the healing of erosive gastritis and chronic gastric ulceration in the rat, 70
4-Methoxy-2-(3-phenyl-2-propynyl)phenol
Identification of the major degradation products of 4-methoxy-2-(3-phenyl-2-propynyl)phenol formed by exposure to air and light, 812
Methylphenidate
Stereoselective urinary pharmacokinetics of *dl-threo*-methylphenidate and its major metabolite in humans, 747
Methylprednisolone
Bioavailability and nonlinear disposition of methylprednisolone and methylprednisone in the rat, 117
Methylprednisone
Bioavailability and nonlinear disposition of methylprednisolone and methylprednisone in the rat, 117
Metoprolol
Factors affecting iontophoretic mobility of metoprolol, 670
Metronidazole
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Micellar solutions
Solubilization and dissolution properties of a leucotriene-D_4 antagonist in micellar solutions, 483
Microspheres
Hollow microspheres for use as a floating controlled drug delivery system in the stomach, 135
Simple gas chromatographic headspace analysis of residual organic solvent in microspheres, 201
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Concanavalin A microspheres for a self-regulating insulin delivery system, 532
In vitro and in vivo release of poly(DL-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
Preparation of neurotensin analogue-containing poly(*dl*-lactic acid) microspheres formed by oil-in-water solvent evaporation, 899
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Minoxidil
Drug and vehicle deposition from topical applications: Use of in vitro mass balance technique with minoxidil solutions, 736
Misoprostol
Misoprostol dehydration kinetics in aqueous solution in the presence of hydroxypropyl methylcellulose, 145
Modeling
Fraction of the bioavailable dose remaining in the body at the time of peak plasma concentration in a linear, open, one-compartment model, 110
Stereochemical considerations in pharmacodynamic modeling of chiral drugs, 199
Pharmacokinetic-pharmacodynamic modeling: Time-dependent protein binding—an alternative interpretation of clockwise and counterclockwise hysteresis, 232
Experimental studies of transient mass transfer and reaction in the liver: Interpretation with a heterogeneous compartment model, 265
Modeling of the kinetics of drug release from a binary system, 318
Evaluation of the mass balance assumption with respect to the two-resistance model of intestinal absorption by using in situ single-pass intestinal perfusion of theophylline in rats, 321
Molecular connectivity model for determination of isoelectric point of amino acids, 334
Solvent effects on chemical processes. I: Solubility of aromatic and heterocyclic compounds in binary aqueous–organic solvents, 371
Evaluation of methods for estimating the rate constant for a one-compartment absorption model when absorption and elimination rate constants are equal, 401
Physiological modeling of disposition of potential tumor-imaging radiopharmaceuticals in tumor-bearing mice, 408
A method for calculating the mean transit times and distribution rate parameters of metabolites without separate intravenous administration of metabolite, 488
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Predicting the postconsolidation relaxation behavior of sodium chloride tablets, 701
Physicochemical characterization of a model intravenous oil-in-water emulsion, 777
A time hierarchy-based model for kinetics of drug disposition and its use in quantitative structure–activity relationships, 849
A compartment model for percutaneous absorption: Compatibility of lag time and steady-state flux with diffusion model, 863
Pharmacodynamic system analysis of the biophase level predictor and the transduction function, 925
Molecular connectivity: Treatment of the electronic structure of amino acids, 967
Application of pharmacokinetic model with multiple enterohepatic cycles to a new inotropic drug after infusion and oral administration, 1020
A semiempirical computational investigation of the antipsoriatic drug anthralin, 1074
Bulk organic solvent–water systems as a possible model to predict alkyl *p*-aminobenzoate partitioning in liposomes, 1104
Pharmacokinetic concepts in assessing intake of pentachlorophenol by rats after exposure through drinking water, 1113
Molecular modeling of β-Cyclodextrin complexes with nootropic drugs, 1157
On the assessment of the relative magnitude of rate constants in the linear open one-copartment model, 1229
Molecular connectivity
Molecular connectivity model for determination of isoelectric point of amino acids, 334
Molecular connectivity: Treatment of the electronic structure of amino acids, 967
Molecular interactions
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Molecular mechanics
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Molecular properties of *Cinchona* alkaloids: A theoretical approach, 122
Misoprostol dehydration kinetics in aqueous solution in the presence of hydroxypropyl methylcellulose, 145
Molecular weight
Molecular weight-dependent pharmacokinetics of fluorescein-labeled dextrans in rats, 908
Monoamine oxidase
Chronic administration of the antidepressant-antipanic drug phenelzine and its N-acetylated analogue: Effects on monoamine oxidase, biogenic amines, α_2-adrenoreceptor function, 832
Monolithic films
Relationship of film properties to drug release from monolithic films containing adjuvants, 983
Monosaccharide polyesters
Pharmacokinetic studies of *N*-butyric acid mono- and polyesters derived from monosaccharides, 241
Moricizine hydrochloride
Degradation kinetics and mechanisms of moricizine hydrochloride in acidic medium, 586
Morphine
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Moxisylyte
Pharmacokinetics of moxisylyte in healthy volunteers after intravenous and oral administration, 1223
Mucous membranes
Drug delivery via the mucous membranes of the oral cavity, 1
Muscle relaxants
Autoxidation of tetrazepam in tablets: Prediction of degradation impurities from the oxidative behavior in solution, 183
Musculotropic spasmolytic agents
Determination of fenoverine, a modulator of smooth muscle motility, in capsules and in human plasma: Application to dosage form stability and a pilot study in humans, 91
Naphazoline
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Naproxen
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Oxidative decarboxylation of naproxen, 479
Nasolacrimal occlusion
Effect of nasolacrimal occlusion on timolol concentrations in the aqueous humor of the human eye, 219
Nefopam hydrochloride
Solid-state structure of orphenadrine hydrochloride and conformational comparisons with diphenhydramine hydrochloride and nefopam hydrochloride, 858
Neuroprotective agents
Nasal delivery of [^{14}C]dextromethorphan hydrochloride in rats: Levels in plasma and brain, 750

Neurotensin analogue
In vitro and in vivo release of poly(DL-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
Neurotoxic agents
Anticonvulsant properties of some mannich bases of conjugated arylidene ketones, 436
Nicorandil
Influences of exposure to cigarette smoke on concentration of nicorandil in plasma of rats, 228
Nicotine
Nicotine absorption after pulmonary instillation, 1055
Nicotinic acid
Reversible adsorption of nicotinic acid onto charcoal in vitro, 917
Nifedipine
Electroreduction in nifedipine, 191
Photodegradation of nifedipine under aerobic conditions: Evidence of formation of singlet oxygen and radical intermediate, 399
Nimodipine
Polarographic study of the photodecomposition of nimodipine, 920
Nitroaromatic compounds
Isolation and biological evaluation of potential cancer chemopreventive agents from ambrette musk residue, 950
Nitrobenzenes
Electroreduction in nifedipine, 191
Nitroglycerin
In vitro release of nitroglycerin from topical products by use of artificial membranes, 1153
Nitrosamines
Quantitative structure–activity relationship study of the biophysicochemical behavior of nitrosamine, 791
Nonane and nonal
Enhancement of propranolol hydrochloride and diazepam skin absorption in vitro. II: Drug, vehicle, and enhancer penetration kinetics, 330
Nootropic drugs
Molecular modeling of β-cyclodextrin complexes with nootropic drugs, 1157
Norfloxacin
Self-setting hydroxyapatite cement: A novel skeletal drug-delivery system for antibiotics, 529
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Nuclear Overhauser effects
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Nucleic acids
Bioorganic photochemistry, volume 1: Photochemistry and the nucleic acids, 112
Numerical deconvolution
Adaptive computer program for determination of absorption profiles by numerical deconvolution: Application to amoxicillin absorption, 802
Ofloxacin
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system. 592
Oral cavity
Drug delivery via the mucous membranes of the oral cavity, 1
Oral mucosa
Drug delivery via the mucous membranes of the oral cavity, 1
Organic compounds
A new method for the estimation of the aqueous solubility of organic compounds, 954
Organic ion pairs
Kinetics of transdermal penetration of an organic ion pair: Physostigmine salicylate, 990
Organogels
Lecithin organogel as matrix for transdermal transport of drugs, 871
Orphenadrine hydrochloride
Solid-state structure of orphenadrine hydrochloride and conformational comparisons with diphenhydramine hydrochloride and nefopam hydrochloride, 858
Otilonium bromide
Simultaneous determination of otilonium bromide and diazepam by first-derivative spectroscopy, 1175
Ouabain
Effects of verapamil, ouabain, and ethacrynic acid on calcium retention in perfused rat kidneys, 1178
Ovomucoid column
Direct-injection high-performance liquid chromatographic analysis of drug enantiomers in plasma with an avidin column coupled on-line to an ovomucoid column, 1227
Oxazepam
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21
Oxidation
Oxidative decarboxylation of naproxen, 479
Oximetazoline
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Oxytetracycline
Liquid chromatographic determination of oxytetracycline in bovine plasma by double-phase extraction, 1216
Oxytocin antagonist
Characterization of a synthetic peptide impurity by fast-atom bombardment–tandem mass spectrometry and gas chromatography--mass spectrometry, 597
Partition behavior
Discontinuous alterations of platelet structure and function by bound, ionizable verapamil, 49
Quantitative analyses of hydrophobicity of di- to pentapeptides having un-ionizable side chains with substituent and structural parameters, 164
An extended version of a novel method for the estimation of partition coefficients, 272
High-performance liquid chromatographic determination of the π Values of Azol-*N*-yl substituents, 577
Structure-permeability relationships in percutaneous penetration, 603
Partition behavior of anilines in bulk-phase and high-performance liquid chromatographic systems: Influence on correlation with biological constants, 720
Quantitative structure–activity relationship study of the biophysicochemical behavior of nitrosamine, 791
Preparation of neurotensin analogue-containing poly(*dl*-lactic acid) microspheres formed by oil-in-water solvent evaporation, 899
A new method for the estimation of the aqueous solubility of organic compounds, 954
Electrochemical determination of partition coefficients of drugs, 970
Partitioning behavior
Bulk organic solvent–water systems as a possible model to predict alkyl *p*-aminobenzoate partitioning in liposomes, 1104
Penetration enhancers
Mechanism of skin penetration-enhancing effect by laurocapram (Azone), 58
Enhancement of propranolol hydrochloride and diazepam skin absorption in vitro. II: Drug, vehicle, and enhancer penetration kinetics, 330
In vitro percutaneous absorption of thiamine disulfide from a mixture of propylene glycol and fatty acid, 744
Enhancement of percutaneous absorption by laurocapram, 762 and 1233
Penicillamine
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Penicillin
Lipidic peptides. V: Penicillin and cephalosporin acid conjugates with increased lipophilic character, 845
Pentachlorophenol
Pharmacokinetic concepts in assessing intake of pentachlorophenol by rats after exposure through drinking water, 1113
Pentoxifylline
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Peptide carriers
Utilization of peptide carrier system to improve intestinal absorption: Targeting prolidase as a prodrug-converting enzyme, 113
Peptides
Modulation of the effector functions of cytolytic T-lymphocytes with synthetic peptide inhibitors of protein kinases, 37
Quantitative analyses of hydrophobicity of di- to pentapeptides having un-ionizable side chains with substituent and structural parameters, 164
Characterization of a synthetic peptide impurity by fast-atom bombardment–tandem mass spectrometry and gas chromatography--mass spectrometry, 597
Peptide stability in drug development: A comparison of peptide reactivity in different biological media, 731
Percolation phenomenon
Formation of a tablet: A site of bond percolation phenomenon, 976

Permeability
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21
Modeling of the kinetics of drug release from a binary system, 318
Separation of quantitation of polyethylene glycols 400 and 3350 from human urine by high-performance liquid chromatography, 350
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Transport of drugs through human erythrocyte membranes: pH dependence of drug transport through labeled human erythrocytes in the presence of band 3 protein inhibitor, 428
Effects of cytochalasin, colchicine, and ethylenediaminetetraacetic acid on linoleic acid transport across rat jejunal enterocytes, 441
Structure-permeability relationships in percutaneous penetration, 603

Pharmaceuticals
Practical testing of solid-state stability of pharmaceuticals, 107

Pharmaceutics
Biopharmaceutics and clinical pharmacokinetics, 966

Pharmacodynamics
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104
Stereochemical considerations in pharmacodynamic modeling of chiral drugs, 199
Pharmacokinetics of cyclosporine in bone marrow transplantation: Longitudinal characterization of drug in lipoprotein fractions, 208
Pharmacokinetic-pharmacodynamic modeling: Time-dependent protein binding—an alternative interpretation of clockwise and counterclockwise hysteresis, 232
Experimental studies of transient mass transfer and reaction in the liver: Interpretation with a heterogeneous compartment model, 265
Solvent effects on chemical processes. I: Solubility of aromatic and heterocyclic compounds in binary aqueous–organic solvents, 371
Evaluation of methods for estimating the rate constant for a one-compartment absorption model when absorption and elimination rate constants are equal, 401
Pharmacokinetics and pharmacodynamics in the design of controlled-release beads with acetaminophen as model drug, 444
Opportunities for integration of pharmacokinetics, pharmacodynamics, and toxicokinetics in rational drug development, 605
Pharmacodynamic system analysis of the biophase level predictor and the transduction function, 925
Time-dependent distribution volume of kinetics of the pharmacodynamic effector site, 1136
Time-dependent distribution volume of kinetics of the pharmacodynamic effector site, 1136

Pharmacokinetics
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 11 and 314
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26
Effect of sexual steroid hormones on spiramycin disposition in genital tract secretions of the ewe, 33
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
Determination of fenoverine, a modulator of smooth muscle motility, in capsules and in human plasma: Application to dosage form stability and a pilot study in humans, 91
Two steady-state pharmacokinetic parameters: Peak-to-trough drug concentration ratio and time of occurrence of time-averaged concentration, 108
Fraction of the bioavailable dose remaining in the body at the time of peak plasma concentration in a linear, open, one-compartment model, 110
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155
Kinetics of aluminum in rats. III: Effect of route of administration, 160
An algorithm for constrained deconvolution based on reparameterization, 175
Influence of age-dependent pharmacokinetics and metabolism on acetaminophen hepatotoxicity, 203
Pharmacokinetics of cyclosporine in bone marrow transplantation: Longitudinal characterization of drug in lipoprotein fractions, 208
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
Effect of nasolacrimal occlusion on timolol concentrations in the aqueous humor of the human eye, 219
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Influences of exposure to cigarette smoke on concentration of nicorandil in plasma of rats, 228
Pharmacokinetic-pharmacodynamic modeling: Time-dependent protein binding—an alternative interpretation of clockwise and counterclockwise hysteresis, 232
Pharmacokinetic studies of *N*-butyric acid mono- and polyesters derived from monosaccharides, 241
Propranolol disposition in the rat: Variation in hepatic extraction with unbound drug fraction, 255
Experimental studies of transient mass transfer and reaction in the liver: Interpretation with a heterogeneous compartment model, 265
Analytical methods validation: Bioavailability, bioequivalence, and pharmacokinetics studies, 309
Variance components in comparative bioavailability studies, 315
Modeling of the kinetics of drug release from a binary system, 318
Evaluation of the mass balance assumption with respect to the two-resistance model of intestinal absorption by using in situ single-pass intestinal perfusion of theophylline in rats, 321
Evaluation of methods for estimating the rate constant for a one-compartment absorption model when absorption and elimination rate constants are equal, 401
Physiological modeling of disposition of potential tumor-imaging radiopharmaceuticals in tumor-bearing mice, 408
Pharmacokinetics of parenteral 13-*cis*-retinoic acid formulations in rats, 432
Pharmacokinetics and pharmacodynamics in the design of controlled-release beads with acetaminophen as model drug, 444
Alternative derivation for the gastrointestinal absorption residence time, 486
A method for calculating the mean transit times and distribution rate parameters of metabolites without separate intravenous administration of metabolite, 488
Pharmacokinetic model for subcutaneous absorption of cyclosporine in the rabbit during chronic treatment, 491
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Comparative bioavailability of a sustained-release ion-exchange hydralazine product with a potassium (cation) challenge, 541
High-performance liquid chromatography method for determination of ronactolol in urine and plasma: Evaluation of pharmacokinetic parameters in healthy humans, 556
Pharmacokinetic implications of changing blood flow in skin, 601
Stereoselective urinary pharmacokinetics of *dl-threo*-methylphenidate and its major metabolite in humans, 747
Pharmacokinetics of diazepam in the rat: Influence of a carbon tetrachloride-induced hepatic injury, 768
In vitro and in vivo release of poly(DL-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
A time hierarchy-based model for kinetics of drug disposition and its use in quantitative structure–activity relationships, 849
A compartment model for percutaneous absorption: Compatibility of lag time and steady-state flux with diffusion model, 863
Rate-limiting steps in oral absorption of a leucotriene D_4 antagonist in the beagle dog, 875
Variability of inversion of (*R*)-Flurbiprofen in different species, 888
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904
Molecular weight-dependent pharmacokinetics of fluorescein-labeled dextrans in rats, 908
Pharmacodynamic system analysis of the biophase level predictor and the transduction function, 925
Stereoselective pharmacokinetics of a novel uricosuric antihypertensive diuretics in rats: Pharmacokinetics interaction between enantiomers, 935
Effects of chronic ethanol ingestion on tissue elimination-phase kinetics of procainamide in rats, 940
Pharmacokinetics of glycyrrhizin after intravenous administration to rats, 961
Biopharmaceutics and clinical pharmacokinetics, 966
Steady-state pharmacokinetics of haloperidol and reduced haloperidol in schizophrenic patients: Analysis of factors determining their concentrations in hair, 1008

Application of pharmacokinetic model with multiple enterohepatic cycles to a new inotropic drug after infusion and oral administration, 1020
Pharmacokinetic analysis of maprotiline and its demethylated metabolite in serum and brain of rats after acute and chronic oral administration of maprotiline, 1032
Pharmacokinetic profile of glycyrrhizin in healthy volunteers by a new high-performance liquid chromatographic method, 1042
Pharmacokinetic analysis of ester prodrugs of valproic acid, 1047
Radioimmunoassays for a new angiotensin-converting enzyme inhibitor, zabicipril, and its active metabolite, zabiciprilat, in human plasma, 1065
Pharmacokinetic concepts in assessing intake of pentachlorophenol by rats after exposure through drinking water, 1113
Effects of exposure to standard- and nicotine-reduced-cigarette smoke on pharmacokinetics of theophylline and cimetidine in rats, 1132
Time-dependent distribution volume of kinetics of the pharmacodynamic effector site, 1136
Pharmacokinetic characterization and tissue distribution of the new glucocorticoid soft drug loteprednol etabonate in rats and dogs, 1210
Pharmacokinetics of moxisylyte in healthy volunteers after intravenous and oral administration, 1223

Pharmacology
Principles of behavioral pharmacology, 490

Phenelzine
Chronic administration of the antidepressant-antipanic drug phenelzine and its N-acetylated analogue: Effects on monoamine oxidase, biogenic amines, α_2-adrenoreceptor function, 832

Phenothiazines
Degradation kinetics and mechanisms of moricizine hydrochloride in acidic medium, 586

Phenylbutazone
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74

Phosphate
Hydrotalcites as potential adsorbents of intestinal phosphate, 1139

Phosphate adsorbent
Interaction of bovine serum albumin with the surface of a microcrystalline aluminum oxide hydroxide compound: A possible new type of phosphate adsorbent, 828

Phosphatidylcholines
Oral bioavailability of griseofulvin from aged griseofulvin:lipid coprecipitates: In vitvo studies in rats, 1166

Phospholipids
Dissolution of fludrocortisone from phospholipids coprecipitates, 282
Hydroxypropylcyclodextrins in parenteral use. I: Lipid Dissolution and effects on lipid transfers in vitro, 521
Enhancement of percutaneous absorption by laurocapram, 762 and 1233

Photochemistry
Bioorganic photochemistry, volume 1: Photochemistry and the nucleic acids, 112
Photochemistry of tiaprofenic acid, a nonsteroidal anti-inflammatory drug with phototoxic side effects, 181

Photodegradation
Photodegradation of nifedipine under aerobic conditions: Evidence of formation of singlet oxygen and radical intermediate, 399
Polarographic study of the photodecomposition of nimodipine, 920

Photoisomerization
Prominent inclusion effect of dimethyl-β-cyclodextrin on photoisomerization of the thromboxane synthetase inhibitor (*E*)-4-(1-imidazoylmethyl)cinnamic acid, 817

Phototoxicity
Photochemistry of tiaprofenic acid, a nonsteroidal anti-inflammatory drug with phototoxic side effects, 181
Oxidative decarboxylation of naproxen, 479

Physicochemical studies
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Use of fractal geometry to determine effects of surface morphology on drug dissolution, 54
Polymeric sorbents for bile acids. I: Comparison between cholestyramine and colestipol, 65
Mechanism of diffusion on monosubstituted benzoic acids through ethylene-vinyl acetate copolymers, 79
Examination of self-crosslinked gelatin as a hydrogel for controlled release, 85
Structural study of benzidamine salicylate in the solid state and in solution, 94
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104
Practical testing of solid-state stability of pharmaceuticals, 107
Hollow microspheres for use as a floating controlled drug delivery system in the stomach, 135
Misoprostol dehydration kinetics in aqueous solution in the presence of hydroxypropyl methylcellulose, 145
Quantitative analyses of hydrophobicity of di- to pentapeptides having un-ionizable side chains with substituent and structural parameters, 164
Liposomes containing fluorinated steroids: An analysis based on photon correlation and fluorine-19 nuclear magnetic resonance spectroscopy, 249
An extended version of a novel method for the estimation of partition coefficients, 272
Dissolution of fludrocortisone from phospholipids coprecipitates, 282
Stability studies of topical carbonic anhydrase inhibitor 6-hydroxyethoxy-2-benzothiazole sulfonamide, 299
Crystal structures of a new oral iron chelator, 1,2-dimethyl-3-hydroxy-4-pyridone, and its solvates with acetic acid and formic acid, 353
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Solvent effects on chemical processes. I: Solubility of aromatic and heterocyclic compounds in binary aqueous–organic solvents, 371
Influence of in vitro test conditions on release of aspirin from commercial tablets, 386
Triazolines. XXI: Preformulation degradation kinetics and chemical stability of a novel triazoline anticonvulsant, 392
Photodegradation of nifedipine under aerobic conditions: Evidence of formation of singlet oxygen and radical intermediate, 399
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413
Effect of surfactants on release of a highly water-soluble medicinal compound from an inert, heterogeneous matrix, 453
Kinetics of swelling of polymers and their gels, 467
Two-dimensional and deuterium-induced, differential-isotope-shift nuclear magnetic resonance characterization of potassium sucrose octasulfate and sucralfate, 471
Solubilization and dissolution properties of a leucotriene-D_4 antagonist in micellar solutions, 483
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Quinidine as a muscarinic antagonist: A structural approach, 559
Degradation kinetics and mechanisms of moricizine hydrochloride in acidic medium, 586
Kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 652
Structure–activity considerations in kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 657
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. II: Applications of equation to optimize tableting conditions, 667
A kinetic and mechanistic study of the hydrolysis of camptothecin and some analogues, 676
Improvements in solubility and stability of thalidomide upon complexation with hydroxypropyl-β-cylodextrin, 685
Qualitative analysis of the stability of the oxazine ring of various benzoxazine and pyridooxazine derivatives with proton nuclear magnetic resonance spectroscopy, 692
Predicting the postconsolidation relaxation behavior of sodium chloride tablets, 701
Alkaline hydrolysis of oligomers of tartrate esters: Effect on a neighboring carboxyl on the reactivity of ester groups, 705
Carbonic anhydrase inhibitors. V: Pyrylium salts in the synthesis of isozyme-specific inhibitors, 716
Partition behavior of anilines in bulk-phase and high-performance liquid chromatographic systems: Influence on correlation with biological constants, 720
Basic cholane derivatives. XI: Comparison between acid and basic derivatives, 726
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. III: Range of validity of equation, 773
Physicochemical characterization of a model intravenous oil-in-water emulsion, 777

Characterization of polymorphs and solvates of 3-amino-1-(*m*-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one, 836
Spectrofluorimetric study of the binding of 1-Anilinonaphthalene-8-sulfonate to bovine serum albumin, 842
Reversible adsorption of nicotinic acid onto charcoal in vitro, 917
Relationship of film properties to drug release from monolithic films containing adjuvants, 983
Racemization and intramolecular nucleophilic substitution reactions of ibutilide, 1028
A semiempirical computational investigation of the antipsoriatic drug anthralin, 1074
Structural properties of polyethylene glycol: Polysorbate 80 mixture, a solid dispersion vehicle, 1185
Physical and lubrication properties of magnesium sterate, 1194
Thermodynamic aspects of the disappearance of antiplasticization in slightly plasticized polymer films at high temperature, 1229

Physostigmine salicylate
Kinetics of transdermal penetration of an organic ion pair: Physostigmine salicylate, 990

Piroxicam
Proton nuclear magnetic resonance spectroscopy studies of the inclusion complex of piroxicam with β-cyclodextrin, 1162

Pivaloylcarnitine
Determination of pivaloylcarnitine in human plasma and urine by high-performance liquid chromatography with fluorescence detection, 1038

Platelet aggregation inhibitors
γ-Pyrone compounds. 2: Synthesis and antiplatelet effects of tetraoxygenated xanthones, 1109

Platelets
Discontinuous alterations of platelet structure and function by bound, ionizable verapamil, 49

Polarographic studies
Polarographic study of the photodecomposition of nimodipine, 920

Poloxamer 407
Biological activity of urease formulated in poloxamer 407 after intraperitoneal injection in the rat, 626

Poly(*dl*-lactic acid)
In vitro and in vivo release of poly(dl-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
Preparation of neurotensin analogue-containing poly(*dl*-lactic acid) microspheres formed by oil-in-water solvent evaporation, 899

Polyethylene glycol: polysorbate 80
Structural properties of polyethylene glycol: Polysorbate 80 mixture, a solid dispersion vehicle, 1185

Polyethylene glycols
Separation of quantitation of polyethylene glycols 400 and 3350 from human urine by high-performance liquid chromatography, 350
Structural properties of polyethylene glycol: Polysorbate 80 mixture, a solid dispersion vehicle, 1185

Polyethylene matrix
A theoretical analysis of a new drug delivery system: A cylindrical device with a vertical opening on its surface, 866

Polyionizable compounds
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413

Polymeric sorbents
Polymeric sorbents for bile acids. I: Comparison between cholestyramine and colestipol, 65

Polymer matrix
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508

Polymers
Kinetics of swelling of polymers and their gels, 467
Thermodynamic aspects of the disappearance of antiplasticization in slightly plasticized polymer films at high temperature, 1229

Polymorphism
Isolation and solid-state characteristics of a new crystal form of indomethacin, 572
Characterization of polymorphs and solvates of 3-amino-1-(*m*-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one, 836

Polyoxyl 40 hydrogenated castor oil
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells

Polysorbate 80
Structural properties of polyethylene glycol: polysorbate 80 mixture, a solid dispersion vehicle, 1185

Polysorbate 80 hydrogenated castor oil
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells

Potassium sucrose octasulfate
Two-dimensional and deuterium-induced, differential-isotope-shift nuclear magnetic resonance characterization of potassium sucrose octasulfate and sucralfate, 471

Practolol
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397

Prednisolone
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21

Primaquine
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500

Pristinamycin I_A
Acid–base properties of pristinamycin I_A and related compounds, 565

Procainamide
Effects of chronic ethanol ingestion on tissue elimination-phase kinetics of procainamide in rats, 940

Procaine
Effect of surfactants on release of a highly water-soluble medicinal compound from an inert, heterogeneous matrix, 453

Prodrugs
Utilization of peptide carrier system to improve intestinal absorption: Targeting prolidase as a prodrug-converting enzyme, 113
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Stereoselective hydrolysis of *O*-acetyl propranolol as prodrugs in rat tissue homogenates, 226
Control of drug release with a combination of prodrug and polymer matrix: Antitumor activity and release profiles of 2′,3′-diacyl-5-fluoro-2′-deoxyuridine from poly(3-hydroxybutyrate) microspheres, 508
Pharmacokinetic analysis of ester prodrugs of valproic acid, 1047
Disposition of a new diacid angiotension-converting enzyme inhibitor after intravenous administration of drug or prodrug to monkeys and dogs, 1071

Prolidase
Utilization of peptide carrier system to improve intestinal absorption: Targeting prolidase as a prodrug-converting enzyme, 113

Propafenone
In vitro protein binding of propafenone and 5-hydroxypropafenone in serum, in solutions of isolated serum proteins, and to red blood cells, 1098

Propentofylline
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904

Propranolol
Stereoselective hydrolysis of *O*-acetyl propranolol as prodrugs in rat tissue homogenates, 226
Propranolol disposition in the rat: Variation in hepatic extraction with unbound drug fraction, 255
Enhancement of propranolol hydrochloride and diazepam skin absorption in vitro. II: Drug, vehicle, and enhancer penetration kinetics, 330

Propylene glycol
In vitro percutaneous absorption of thiamine disulfide from a mixture of propylene glycol and fatty acid, 744

Prostaglandins
Misoprostol dehydration kinetics in aqueous solution in the presence of hydroxypropyl methylcellulose, 145

Protein denaturation
Synthesis and anti-inflammatory activity of fluorinated phenyl styryl ketones and *N*-phenyl-5-substituted aryl-3-*p*-(fluorophenyl) pyrazolins and pyrazoles, 892

Protein kinase inhibitors
Modulation of the effector functions of cytolytic T-lymphocytes with synthetic peptide inhibitors of protein kinases, 37

Protein structure damage
Vanadium and copper in clinical solutions of albumin and their potential to damage protein structure, 611

Proton transport
Acid–base properties of pristinamycin I_A and related compounds, 565

Pulmonary drug deposition
Pulmonary deposition of inhaled terbutaline: Comparison of scanning gamma camera and urinary excretion methods, 753

Pulmonary instillation
Nicotine absorption after pulmonary instillation, 1055

Punch geometry
Punch geometry and formulation considerations in reducing tablet friability and their effect on in vitro dissolution, 290
Pyrazoles and pyrazolins
Synthesis and anti-inflammatory activity of fluorinated phenyl styryl ketones and *N*-phenyl-5-substituted aryl-3-*p*-(fluorophenyl) pyrazolins and pyrazoles, 892
Pyrazolopyridines
Synthesis and inotropic activity of pyrazolol[4,3-*c*]pyridine-4-ones and related compounds, 581
Pyridones
Crystal structures of a new oral iron chelator, 1,2-dimethyl-3-hydroxy-4-pyridone, and its solvates with acetic acid and formic acid, 353
Pyridooxazines
Qualitative analysis of the stability of the oxazine ring of various benzoxazine and pyridooxazine derivatives with proton nuclear magnetic resonance spectroscopy, 692
Pyrimidine derivatives
Synthesis and antimicrobial and anti-inflammatory activities of substituted 2-mercapto-3-(*N*-aryl)pyrimido[5,4-*c*]cinnolin-4-(3*H*)-ones, 365
γ-Pyrone compounds
γ-Pyrone compounds. 2: Synthesis and antiplatelet effects of tetraoxygenated xanthones, 1109
Pyrylium salts
Carbonic anhydrase inhibitors. V: Pyrylium salts in the synthesis of isozyme-specific inhibitors, 716
Quaternary ammonium-linked glucuronide metabolites
Synthesis and characterization of quaternary ammonium-linked glucuronide metabolites of drugs with an aliphatic tertiary amine group, 1079
Quaternized 4(3*H*)-quinazolinones
Pharmacological studies on quaternized 4(3*H*)-quinazolinones, 1092
Quinidine
Quinidine as a muscarinic antagonist: A structural approach, 559
Quinolones
Possible effect of pigment on the pharmacokinetics of ofloxacin and its excretion in hair, 45
3-Quinuclidinyl acetates
Synthesis and receptor affinities of new 3-quinuclidinyl α-heteroaryl-α-aryl-α-hydroxyacetates, 326
Quipazine
New hybrids of quipazine and trazodone as selective inhibitors of uptake of 5-hydroxytryptamine, 99
Quitenidine methyl ester
Quinidine as a muscarinic antagonist: A structural approach, 559
Racemization
Racemization and intramolecular nucleophilic substitution reactions of ibutilide, 1028
Radiodiagnostic agents
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397
Radioimmunoassays
Radioimmunoassays for a new angiotensin-converting enzyme inhibitor, zabicipril, and its active metabolite, zabiciprilat, in human plasma, 1065
Radiopharmaceuticals
Physiological modeling of disposition of potential tumor-imaging radiopharmaceuticals in tumor-bearing mice, 408
Metabolism and distribution of 1-[^{14}C]alprazolam in rats, 797
Radiopharmacy
Textbook of radiopharmacy. Theory and Practice. Volume 3., 730
Radiotracers
Synthesis and receptor affinities of new 3-quinuclidinyl α-heteroaryl-α-aryl-α-hydroxyacetates, 326
Random powder mixtures
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. II: Applications of equation to optimize tableting conditions, 667
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. III: Range of validity of equation, 773
Rate constants
On the assessment of the relative magnitude of rate constants in the linear open one-compartment model, 1229
Receptor affinities
Synthesis and receptor affinities of new 3-quinuclidinyl α-heteroaryl-α-aryl-α-hydroxyacetates, 326
Renal excretion
Erythrocytes as a total barrier for renal excretion of hydrochlorothiazide: Slow influx and efflux across erythrocyte membranes, 212
Reparameterization
An algorithm for constrained deconvolution based on reparameterization, 175
Retinoic acid
Pharmacokinetics of parenteral 13-*cis*-retinoic acid formulations in rats, 432
Rifampicin
First-derivative spectroscopic determination of binding characteristics of rifampicin to human albumin and serum, 287
Ritalin
Stereoselective urinary pharmacokinetics of *dl-threo*-methylphenidate and its major metabolite in humans, 747
Ronactolol
High-performance liquid chromatography method for determination of ronactolol in urine and plasma: Evaluation of pharmacokinetic parameters in healthy humans, 556
Safrole
The synthesis and anti-inflammatory properties of a new sulindac analogue synthesized from natural safrole, 1219
Salicylic acid
Chloride-37 nuclear magnetic resonance spectroscopic study of binding of salicylic acid and other hydroxybenzoic acids to the band 3 anion transport protein of human erythrocytes, 419
A kinetic study of the role of band 3 anion transport protein in the transport of salicylic acid and other hydroxybenzoic acids across the human erythrocyte membrane, 424
Simultaneous spectrophotometric determination in solid phase of aspirin and its impurity salicylic acid in pharmaceutical formulations, 895
Saliva
Zinc(II) in saliva: Determination of concentrations produced by different formulations of zinc gluconate lozenges containing common excipients, 128
Scanning gamma camera
Pulmonary deposition of inhaled terbutaline: Comparison of scanning gamma camera and urinary excretion methods, 753
Secondary amines
Kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 652
Structure–activity considerations in kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 657
Sedimentation rate
Influence of dielectric constant on sedimentation rate of concentrated suspensions of aluminum and magnesium hydroxides, 787
Skin absorption
Drug and vehicle deposition from topical applications: Use of in vitro mass balance technique with minoxidil solutions, 736
In vitro percutaneous absorption of thiamine disulfide from a mixture of propylene glycol and fatty acid, 744
Enhancement of percutaneous absorption by laurocapram, 762 and 1233
Skin blanching
Relationship between in vivo skin blanching and in vitro release rate for betamethasone valerate creams, 104
Skin circulation
Pharmacokinetic implications of changing blood flow in skin, 601
Skin permeability
Mechanism of skin penetration-enhancing effect by laurocapram (Azone), 58
Skin permeation
Dyphylline liposomes for delivery to the skin, 131
Enhancement of propranolol hydrochloride and diazepam skin absorption in vitro. II: Drug, vehicle, and enhancer penetration kinetics, 330
Quantitative prediction of transdermal iontophoretic delivery of arbutamine in humans with the in vitro isolated perfused porcine skin flap, 504
Studies of in vitro skin permeation and retention of a leukotriene antagonist from topical vehicles with a hairless guinea pig model, 631
Effect of iontophoresis on in vitro skin permeation of an analogue of growth hormone releasing factor in the hairless guinea pig model, 635
Factors affecting iontophoretic mobility of metoprolol, 670
A compartment model for percutaneous absorption: Compatibility of lag time and steady-state flux with diffusion model, 863
Lecithin organogel as matrix for transdermal transport of drugs, 871
Kinetics of transdermal penetration of an organic ion pair: Physostigmine salicylate, 990
Transdermal drug delivery systems of albuterol: In vitro and in vivo studies, 996

Sodium chloride
Predicting the postconsolidation relaxation behavior of sodium chloride tablets, 701
Sodium dioctyl sulfosuccinate
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Sodium dodecyl sulfate
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Sodium taurocholates
Epithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactant excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Solubility studies
Solvent effects on chemical processes. I: Solubility of aromatic and heterocyclic compounds in binary aqueous–organic solvents, 371
Release of polyionizable compounds from submicrometer oil-in-water emulsions, 413
Improvements in solubility and stability of thalidomide upon complexation with hydroxypropyl-β-cylodextrin, 685
Complexation of steroid hormones with cyclodextrin derivatives: Substituent effects of the guest molecule on solubility and stability in aqueous solution, 756
A new method for the estimation of the aqueous solubility of organic compounds, 954
Solvent effects
Solvent effects on chemical processes. I: Solubility of aromatic and heterocyclic compounds in binary aqueous–organic solvents, 371
Solvent evaporation
In vitro and in vivo release of poly(DL-lactic acid) microspheres containing neurotensin analogue prepared by novel oil-in-water solvent evaporation method, 808
Preparation of neurotensin analogue-containing poly(*dl*-lactic acid) microspheres formed by oil-in-water solvent evaporation, 899
Solvents
Simple gas chromatographic headspace analysis of residual organic solvent in microspheres, 201
Spectrofluorometric studies
Spectrofluorimetric study of the binding of 1-Anilinonaphthalene-8-sulfonate to bovine serum albumin, 842
Spectrometric studies
Identification of 5-ethyl-5-(2-methylbutyl)barbituric acid as an impurity of manufacture in amobarbital, 362
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592
Characterization of a synthetic peptide impurity by fast-atom bombardment–tandem mass spectrometry and gas chromatography--mass spectrometry, 597
Spectrophotometric studies
Ionization constantsEvaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system
Simultaneous spectrophotometric determination in solid phase of aspirin and its impurity salicylic acid in pharmaceutical formulations, 895
Spectroscopic studies
Phenylbutazone action on dimiristoyl phosphatidylcholine liposome phase transition and 8-anilino-1-naphthalene sulfonate binding, 74
Structural study of benzidamine salicylate in the solid state and in solution, 94
Physicochemical properties of albumin microspheres determined by spectroscopic studies, 186
Liposomes containing fluorinated steroids: An analysis based on photon correlation and fluorine-19 nuclear magnetic resonance spectroscopy, 249
First-derivative spectroscopic determination of binding characteristics of rifampicin to human albumin and serum, 287
Chloride-37 nuclear magnetic resonance spectroscopic study of binding of salicylic acid and other hydroxybenzoic acids to the band 3 anion transport protein of human erythrocytes, 419
Two-dimensional and deuterium-induced, differential-isotope-shift nuclear magnetic resonance characterization of potassium sucrose octasulfate and sucralfate, 471
Qualitative analysis of the stability of the oxazine ring of various benzoxazine and pyridooxazine derivatives with proton nuclear magnetic resonance spectroscopy, 692
Physicochemical characterization of a model intravenous oil-in-water emulsion, 777
Characterization of polymorphs and solvates of 3-amino-1-(*m*-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one, 836
Utility of fourier transform-raman and fourier transfomr–infrared diffuse reflectance spectroscopy for differentiation of polymorphic spironolactone samples, 1141
Proton nuclear magnetic resonance spectroscopy studies of the inclusion complex of piroxicam with β-cyclodextrin, 1162
Simultaneous determination of otilonium bromide and diazepam by first-derivative spectroscopy, 1175
Spin-lattice relaxation rates
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Spiramycin
Effect of sexual steroid hormones on spiramycin disposition in genital tract secretions of the ewe, 33
Spironolactone
Utility of Fourier transform-raman and fourier transform–infrared diffuse reflectance spectroscopy for differentiation of polymorphic spironolactone samples, 1141
Stability studies
Determination of fenoverine, a modulator of smooth muscle motility, in capsules and in human plasma: Application to dosage form stability and a pilot study in humans, 91
Practical testing of solid-state stability of pharmaceuticals, 107
Photochemistry of tiaprofenic acid, a nonsteroidal anti-inflammatory drug with phototoxic side effects, 181
Autoxidation of tetrazepam in tablets: Prediction of degradation impurities from the oxidative behavior in solution, 183
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197
Stability studies of topical carbonic anhydrase inhibitor 6-hydroxyethoxy-2-benzothiazole sulfonamide, 299
Statistical approaches to stability protocol design, 303
Stability of diltiazem and its metabolites in human blood samples, 341
Triazolines. XXI: Preformulation degradation kinetics and chemical stability of a novel triazoline anticonvulsant, 392
Improvements in solubility and stability of thalidomide upon complexation with hydroxypropyl-β-cylodextrin, 685
Qualitative analysis of the stability of the oxazine ring of various benzoxazine and pyridooxazine derivatives with proton nuclear magnetic resonance spectroscopy, 692
Peptide stability in drug development: A comparison of peptide reactivity in different biological media, 731
Complexation of steroid hormones with cyclodextrin derivatives: Substituent effects of the guest molecule on solubility and stability in aqueous solution, 756
Identification of the major degradation products of 4-methoxy-2-(3-phenyl-2-propynyl)phenol formed by exposure to air and light, 812
Acid-catalyzed hydrolysis of maltosyl-β-cyclodextrin, 913
Stability of batanopride hydrochloride in aqueous solutions, 1088
Starch
Performance of a modified starch hydrophilic matrix for the sustained release of theophylline in healthy volunteers, 245
Statistics
Statistical approaches to stability protocol design, 303
Analytical methods validation: Bioavailability, bioequivalence, and pharmacokinetics studies, 309
Steroids
Liposomes containing fluorinated steroids: An analysis based on photon correlation and fluorine-19 nuclear magnetic resonance spectroscopy, 249
Stomach
Hollow microspheres for use as a floating controlled drug delivery system in the stomach, 135
Stool softeners
High-performance liquid chromatographic analysis of docusate sodium in soft gelatin capsules, 359
Structure–activity studies
Use of fractal geometry to determine effects of surface morphology on drug dissolution, 54
Structural study of benzidamine salicylate in the solid state and in solution, 94
New hybrids of quipazine and trazodone as selective inhibitors of uptake of 5-hydroxytryptamine, 99
Molecular properties of *Cinchona* alkaloids: A theoretical approach, 122
Quantitative analyses of hydrophobicity of di- to pentapeptides having un-ionizable side chains with substituent and structural parameters, 164

Stereochemical considerations in pharmacodynamic modeling of chiral drugs, 199
Human pharmacokinetics of ibuprofen enantiomers following different doses and formulations: Intestinal chiral inversion, 221
Stereoselective hydrolysis of *O*-acetyl propranolol as prodrugs in rat tissue homogenates, 226
Pharmacokinetic studies of *N*-butyric acid mono- and polyesters derived from monosaccharides, 241
Effects of structural variations on the rates of enzymatic and nonenzymatic hydrolysis of carbonate and carbamate esters, 295
Synthesis and receptor affinities of new 3-quinuclidinyl α-heteroaryl-α-aryl-α-hydroxyacetates, 326
Molecular connectivity model for determination of isoelectric point of amino acids, 334
Nuclear magnetic resonance spectrometric investigations of calcium antagonist drugs. III: Conformational and dynamic features of diltiazem in solution, 367
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397
Anticonvulsant properties of some mannich bases of conjugated arylidene ketones, 436
Synthesis and pharmacological evaluation of some *N*-[pyridyl(phenyl)carbonylamino]methyl-1,2,3,6-tetrahydropyridines, 463
Specific inhibition of binding to benzodiazepine receptors by 1,2,3-triazole derivatives, 543
Quinidine as a muscarinic antagonist: A structural approach, 559
Synthesis and inotropic activity of pyrazolol[4,3-*c*]pyridine-4-ones and related compounds, 581
Structure-permeability relationships in percutaneous penetration, 603
An antidepressant principle of *Lobelia inflata* L. (Campanulaceae), 620
Halogenated analogues of tamoxifen: Synthesis, receptor assay, and inhibition of MCF7 cells, 622
Preparation of potential anti-inflammatory agents from dehydroabietic acid, 646
Structure–activity considerations in kinetics and mechanism of chlorine exchange between chloramine-T and secondary amines, 657
Alkaline hydrolysis of oligomers of tartrate esters: Effect on a neighboring carboxyl on the reactivity of ester groups, 705
High-performance frontal analysis–high-performance liquid chromatographic system for stereoselective determination of unbound ketoprofen enantiomers in plasma after direct sample injection, 710
Basic cholane derivatives. XI: Comparison between acid and basic derivatives, 726
Stereoselective urinary pharmacokinetics of *dl-threo*-methylphenidate and its major metabolite in humans, 747
Complexation of steroid hormones with cyclodextrin derivatives: Substituent effects of the guest molecule on solubility and stability in aqueous solution, 756
Quantitative structure–activity relationship study of the biophysicochemical behavior of nitrosamine, 791
Synthesis and biological activity of new 1,8-diaza-2,9,10-anthracenetrione derivatives, 815
Lipidic peptides. V: Penicillin and cephalosporin acid conjugates with increased lipophilic character, 845
A time hierarchy-based model for kinetics of drug disposition and its use in quantitative structure–activity relationships, 849
Solid-state structure of orphenadrine hydrochloride and conformational comparisons with diphenhydramine hydrochloride and nefopam hydrochloride, 858
Variability of inversion of (*R*)-Flurbiprofen in different species, 888
Synthesis and anti-inflammatory activity of fluorinated phenyl styryl ketones and *N*-phenyl-5-substituted aryl-3-*p*-(fluorophenyl) pyrazolins and pyrazoles, 892
Stereoselective pharmacokinetics of a novel uricosuric antihypertensive diuretics in rats: Pharmacokinetics interaction between enantiomers, 935
Isolation and biological evaluation of potential cancer chemopreventive agents from ambrette musk residue, 950
Synthesis and anti-inflammatory activity of 3-(benzylideneamino)coumarins in rodents, 964
Molecular connectivity: Treatment of the electronic structure of amino acids, 967
In vitro and in vivo anticalcification effects of novel bishydroxyiminophosphonates, 1004
Cholinergic agents: Effect of methyl substitution in a series of arecoline derivatives on binding to muscarinic acetylcholine receptors, 1015
Synthesis and cytotoxic evaluation of some 6-arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes and related compounds, 1059
Synthesis of mannich bases of arylidenepyridazinones as analgesic agents, 1084
Pharmacological studies on quaternized 4(3*H*)-quinazolinones, 1092
γ-Pyrone compounds. 2: Synthesis and antiplatelet effects of tetraoxygenated xanthones, 1109
Synthesis and antimicrobial properties of 2*H*-pyran-3(6*H*)-one derivatives and related compounds, 1126
Evaluation of cytotoxicity of some mannich bases of various aryl and arylidene ketones and their corresponding arylhydrazones, 1147
Synthesis and anticholinesterase activity of new bispyridinium compounds, 1181
The synthesis and anti-inflammatory properties of a new sulindac analogue synthesized from natural safrole, 1219

Structure analysis
Isolation and solid-state characteristics of a new crystal form of indomethacin, 572
Characterization of a synthetic peptide impurity by fast-atom bombardment–tandem mass spectrometry and gas chromatography--mass spectrometry, 597

Sublingual delivery
Drug delivery via the mucous membranes of the oral cavity, 1

Sucralfate
Two-dimensional and deuterium-induced, differential-isotope-shift nuclear magnetic resonance characterization of potassium sucrose octasulfate and sucralfate, 471

Sulfadiazine
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500

Sulfhydryl-containing agents
Role of sulfhydryl-containing agents in the healing of erosive gastritis and chronic gastric ulceration in the rat, 70
Protection against chronic gastric ulceration in the rat with sulfhydryl-containing agents, 698

Sulindac analogue
The synthesis and anti-inflammatory properties of a new sulindac analogue synthesized from natural safrole, 1219

Sulpiride
Absolute bioavailability, rate of absorption, and dose proportionality of sulpiride in humans, 26

Surface morphology
Use of fractal geometry to determine effects of surface morphology on drug dissolution, 54

Surfactants
Sodium taurodihydrofusidEpithelial transport of drugs in cell culture. VII: Effects of pharmaceutical surfactants excipients and bile acids on transepithelial permeability in monolayers of human intestinal epithelial (Caco-2) cells
Effect of surfactants on release of a highly water-soluble medicinal compound from an inert, heterogeneous matrix, 453

Suspensions
Influence of dielectric constant on sedimentation rate of concentrated suspensions of aluminum and magnesium hydroxides, 787

Sustained release
Performance of a modified starch hydrophilic matrix for the sustained release of theophylline in healthy volunteers, 245
Preparation and evaluation of eudragit gels. III: Rectal gel preparations for sustained release of pentoxifylline, 537
Biological activity of urease formulated in poloxamer 407 after intraperitoneal injection in the rat, 626
Preparation and evaluation of eudragit gels. IV: Rectal gel preparations for sustained release and avoidance of first-pass metabolism of propentofylline, 904
Reversible adsorption of nicotinic acid onto charcoal in vitro, 917
Effect of impurities on estradiol crystallization in a sustained-release, 1012

Synthesis studies
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Synthesis and receptor affinities of new 3-quinuclidinyl α-heteroaryl-α-aryl-α-hydroxyacetates, 326
Synthesis and antimicrobial and anti-inflammatory activities of substituted 2-mercapto-3-(*N*-aryl)pyrimido[5,4-*c*]cinnolin-4-(3*H*)-ones, 365
Aminopyridine carbamic acid esters: Synthesis and potential as acetylcholinesterase inhibitors and acetylcholine releasers, 380
Synthesis and binding to β-adrenergic receptors of *p*-aminobenzyl analogues of practolol and atenolol, 397
Anticonvulsant properties of some mannich bases of conjugated arylidene ketones, 436
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458

Synthesis and pharmacological evaluation of some *N*-[pyridyl(phenyl)carbonylamino]methyl-1,2,3,6-tetrahydropyridines, 463
Specific inhibition of binding to benzodiazepine receptors by 1,2,3-triazole derivatives, 543
Quinidine as a muscarinic antagonist: A structural approach, 559
Synthesis and inotropic activity of pyrazolol[4,3-*c*]pyridine-4-ones and related compounds, 581
Halogenated analogues of tamoxifen: Synthesis, receptor assay, and inhibition of MCF7 cells, 622
Preparation of potential anti-inflammatory agents from dehydroabietic acid, 646
Carbonic anhydrase inhibitors. V: Pyrylium salts in the synthesis of isozyme-specific inhibitors, 716
Synthesis and biological activity of new 1,8-diaza-2,9,10-anthracenetrione derivatives, 815
Interaction of bovine serum albumin with the surface of a microcrystalline aluminum oxide hydroxide compound: A possible new type of phosphate adsorbent, 828
Synthesis and anti-inflammatory activity of fluorinated phenyl styryl ketones and *N*-phenyl-5-substituted aryl-3-*p*-(fluorophenyl) pyrazolins and pyrazoles, 892
Synthesis and anti-inflammatory activity of 3-(benzylideneamino)coumarins in rodents, 964
In vitro and in vivo anticalcification effects of novel bishydroxyiminophosphonates, 1004
Synthesis and cytotoxic evaluation of some 6-arylidene-2-(α-hydroxyamino-α-arylmethyl)cyclohexanone oximes and related compounds, 1059
Synthesis and characterization of quaternary ammonium-linked glucuronide metabolites of drugs with an aliphatic tertiary amine group, 1079
Synthesis of mannich bases of arylidenepyridazinones as analgesic agents, 1084
γ-Pyrone compounds. 2: Synthesis and antiplatelet effects of tetraoxygenated xanthones, 1109
Synthesis and antimicrobial properties of 2*H*-pyran-3(6*H*)-one derivatives and related compounds, 1126
Synthesis and anticholinesterase activity of new bispyridinium compounds, 1181
The synthesis and anti-inflammatory properties of a new sulindac analogue synthesized from natural safrole, 1219

Tablets
Bioavailability of hydroxychloroquine tablets assessed with deconvolution techniques, 155
Autoxidation of tetrazepam in tablets: Prediction of degradation impurities from the oxidative behavior in solution, 183
Influence of in vitro test conditions on release of aspirin from commercial tablets, 386
Influence of higher rates of agitation on release patterns of immediate-release drug products, 500
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. I: Derivation of equation, 551
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. II: Applications of equation to optimize tableting conditions, 667
Predicting the postconsolidation relaxation behavior of sodium chloride tablets, 701
Novel approach to estimate quality of binary random powder mixtures: Samples of constant volume. III: Range of validity of equation, 773
Formation of a tablet: A site of bond percolation phenomenon, 976
Gastric emptying of tablets and granules in humans, dogs, pigs, and stomach-emptying-controlled rabbits, 1170
Effect of geometric factors on hydration kinetics of theophylline anhydrate tablets, 1189

Tamoxifen
Halogenated analogues of tamoxifen: Synthesis, receptor assay, and inhibition of MCF7 cells, 622

Targeted drug delivery
Drug delivery via the mucous membranes of the oral cavity, 1
Mechanism of skin penetration-enhancing effect by laurocapram (Azone), 58
Dyphylline liposomes for delivery to the skin, 131

Tartrate ester oligomers
Alkaline hydrolysis of oligomers of tartrate esters: Effect on a neighboring carboxyl on the reactivity of ester groups, 705

Taurocholic acid
Effect of basic cholane derivatives on intestinal cholic acid metabolism: In vitro and in vivo activity, 237

Taurodeoxycholic acid
Effect of basic cholane derivatives on intestinal cholic acid metabolism: In vitro and in vivo activity, 237

Tauromustine
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197

Terbutaline
Pulmonary deposition of inhaled terbutaline: Comparison of scanning gamma camera and urinary excretion methods, 753

Tertiary amines
Discontinuous alterations of platelet structure and function by bound, ionizable verapamil, 49

Tetrahydropyridines
Synthesis and pharmacological evaluation of some *N*-[pyridyl(phenyl)carbonylamino]methyl-1,2,3,6-tetrahydropyridines, 463

Tetraoxygenated xanthones
γ-Pyrone compounds. 2: Synthesis and antiplatelet effects of tetraoxygenated xanthones, 1109

Tetrazepam
Autoxidation of tetrazepam in tablets: Prediction of degradation impurities from the oxidative behavior in solution, 183

Thalidomide
Improvements in solubility and stability of thalidomide upon complexation with hydroxypropyl-β-cylodextrin, 685

Theophylline
Performance of a modified starch hydrophilic matrix for the sustained release of theophylline in healthy volunteers, 245
Evaluation of the mass balance assumption with respect to the two-resistance model of intestinal absorption by using in situ single-pass intestinal perfusion of theophylline in rats, 321
Effects of exposure to standard- and nicotine-reduced-cigarette smoke on pharmacokinetics of theophylline and cimetidine in rats, 1132
Effect of geometric factors on hydration kinetics of theophylline anhydrate tablets, 1189

Theophylline derivatives
Dyphylline liposomes for delivery to the skin, 131

Therapeutics
Clinical pharmacy and therapeutics, 313

Thermodynamics
Drug and vehicle deposition from topical applications: Use of in vitro mass balance technique with minoxidil solutions, 736
Thermodynamic aspects of the disappearance of antiplasticization in slightly plasticized polymer films at high temperature, 1229

Thiamine disulfide
In vitro percutaneous absorption of thiamine disulfide from a mixture of propylene glycol and fatty acid, 744

Thiocholine
Synthesis, cytotoxicity, hypolipidemic and anti-inflammatory activities of amine-boranes and esters of boron analogues of choline and thiocholine, 458

Thromboxane synthetase inhibitors
Prominent inclusion effect of dimethyl-β-cyclodextrin on photoisomerization of the thromboxane synthetase inhibitor (*E*)-4-(1-imidazoylmethyl)cinnamic acid, 817

Tiaprofenic acid
Photochemistry of tiaprofenic acid, a nonsteroidal anti-inflammatory drug with phototoxic side effects, 181

Time hierarchy
A time hierarchy-based model for kinetics of drug disposition and its use in quantitative structure–activity relationships, 849

Timolol
Effect of nasolacrimal occlusion on timolol concentrations in the aqueous humor of the human eye, 219

T-Lymphocytes
Modulation of the effector functions of cytolytic T-lymphocytes with synthetic peptide inhibitors of protein kinases, 37

Tolazoline
Evaluation of thermodynamic ionization constants by computation of spectrophotometric and potentiometric experimental data obtained simultaneously from a flow system, 592

Topical vehicles
Studies of in vitro skin permeation and retention of a leukotriene antagonist from topical vehicles with a hairless guinea pig model, 631
Principles and criteria in the development and optimization of topical therapeutic products, 1051

Topological indexes
Molecular connectivity model for determination of isoelectric point of amino acids, 334

Toxicity studies
Ester and amide prodrugs of ibuprofen and naproxen: Synthesis, anti-inflammatory activity, and gastrointestinal toxicity, 149
Influence of age-dependent pharmacokinetics and metabolism on acetaminophen hepatotoxicity, 203
Animal toxicity studies: Their relevance for man, 313
A critical evaluation of the present status of toxicity of aminoxyl radicals, 496

Toxicokinetics
Opportunities for integration of pharmacokinetics, pharmacodynamics, and toxicokinetics in rational drug development, 605
Tranilast
Hollow microspheres for use as a floating controlled drug delivery system in the stomach, 135
Transduction function
Pharmacodynamic system analysis of the biophase level predictor and the transduction function, 925
Trazodone
New hybrids of quipazine and trazodone as selective inhibitors of uptake of 5-hydroxytryptamine, 99
Triazoles
Specific inhibition of binding to benzodiazepine receptors by 1,2,3-triazole derivatives, 543
Triazolines
Triazolines. XXI: Preformulation degradation kinetics and chemical stability of a novel triazoline anticonvulsant, 392
Triglycerides
Enhancement of percutaneous absorption by laurocapram, 762 and 1233
Tris(hydroxymethyl)aminomethane
Stabilizing effect of tris(hydroxymethyl)aminomethane on *N*-nitrosoureas in aqueous solutions, 197
Tumor promoters
Binary combination effects of some pharmacologically active chemicals as promoters of tumorigenesis, 403
Urease
Biological activity of urease formulated in poloxamer 407 after intraperitoneal injection in the rat, 626
Uricosuric agents
Stereoselective pharmacokinetics of a novel uricosuric antihypertensive diuretics in rats: Pharmacokinetics interaction between enantiomers, 935
Uterus
Effect of sexual steroid hormones on spiramycin disposition in genital tract secretions of the ewe, 33
Valproic acid prodrugs
Pharmacokinetic analysis of ester prodrugs of valproic acid, 1047
Vanadium
Vanadium and copper in clinical solutions of albumin and their potential to damage protein structure, 611
Variance components
Variance components in comparative bioavailability studies, 315
Vasodilators
Influences of exposure to cigarette smoke on concentration of nicorandil in plasma of rats, 228
Photodegradation of nifedipine under aerobic conditions: Evidence of formation of singlet oxygen and radical intermediate, 399
Polarographic study of the photodecomposition of nimodipine, 920
Vasopressin
Effects on enzymatic inhibition and increased paracellular shunting on transport of vasopressin analogues in the rat, 640
Verapamil
Discontinuous alterations of platelet structure and function by bound, ionizable verapamil, 49
Effects of verapamil, ouabain, and ethacrynic acid on calcium retention in perfused rat kidneys, 1178
Visnagin
Improved high-performance liquid chromatographic determination of khellin and visnagin in *Ammi visnaga* fruits and pharmaceutical formulations, 475
Water absorption
Influence of D-Glucose-induced water absorption on rat jejunal uptake of two passively absorbed drugs, 21
Wetting agents
High-performance liquid chromatographic analysis of docusate sodium in soft gelatin capsules, 359
Xanthines
Dyphylline liposomes for delivery to the skin, 131
Xenobiotics
Biotransformations: A survey of the biotransformations of drugs and chemicals in animals, 848
X-ray studies
Structural study of benzidamine salicylate in the solid state and in solution, 94
Crystal structures of a new oral iron chelator, 1,2-dimethyl-3-hydroxy-4-pyridone, and its solvates with acetic acid and formic acid, 353
Quinidine as a muscarinic antagonist: A structural approach, 559
Isolation and solid-state characteristics of a new crystal form of indomethacin, 572
Characterization of polymorphs and solvates of 3-amino-1-(*m*-trifluoromethylphenyl)-6-methyl-1H-pyridazin-4-one, 836
Solid-state structure of orphenadrine hydrochloride and conformational comparisons with diphenhydramine hydrochloride and nefopam hydrochloride, 858
Zabicipril, zabiciprilat
Radioimmunoassays for a new angiotensin-converting enzyme inhibitor, zabicipril, and its active metabolite, zabiciprilat, in human plasma, 1065
Zidovudine
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 11
Zidovudine serum, cerebrospinal fluid, and brain concentrations following chronic administration of a new zidovudine formulation via an implantable pump in dogs, 314
Zinc
Zinc(II) in saliva: Determination of concentrations produced by different formulations of zinc gluconate lozenges containing common excipients, 128